# GEOTECHNICAL EVALUATION PROJECT NO. STP-0399 () DES. NO. 0300059 PEDESTRIAN BRIDGE MONON GREENWAY OVER CARMEL DRIVE CARMEL, INDIANA

#### Prepared for

UNITED CONSULTING ENGINEERS & ARCHITECTS
1625 NORTH POST ROAD
INDIANAPOLIS, INDIANA 46219-1995

By

EARTH EXPLORATION, INC. 7770 WEST NEW YORK STREET INDIANAPOLIS, INDIANA 46214-2988 March 4, 2004

Mr. Kurt Fowerbaugh, P.E. United Consulting Engineers & Architects 1625 North Post Road Indianapolis, IN 46219-1995



Re: Geotechnical Evaluation

Project No. STP-0399 ()

Des. No. 0300059 Pedestrian Bridge

Monon Greenway over Carmel Drive

Carmel, Indiana

EEI Project No. 1-03-071

Dear Mr. Fowerbaugh:

We are pleased to submit our geotechnical evaluation for the above-referenced project. This report presents the results of our subsurface exploration and provides geotechnical recommendations for design and construction of the proposed bridge and earth retention structures. The work for this project was formally authorized by Mr. Dave Richter, of United Consulting Engineers & Architects (UCEA) on September 16, 2003, via acceptance of Earth Exploration, Inc. (EEI) Proposal No. P1-02-539. This final report supercedes the report dated November 25, 2003.

The opinions and recommendations submitted herein are based in part on the interpretation of the subsurface conditions revealed by the test borings as shown on the location plans in Appendix C. Understandably, this report does not reflect variations in the subsurface conditions between or beyond these borings. Variations in soil conditions can be expected between the boring locations, and fluctuation of groundwater levels may occur over time. The nature and extent of the variations may not become evident until the time of construction. If subsurface variations become apparent at a later date, it may be necessary for EEI to re-evaluate the recommendations of this report. Important information regarding this evaluation is contained in Appendix A.

#### PROJECT DESCRIPTION

We understand that the city of Carmel is planning to construct a pedestrian bridge carrying the Monon Greenway over Carmel Drive. The bridge is planned to consist of three-spans with lengths of approximately 60, 86, and 60 ft. A deep foundation scheme has been preliminarily proposed for support of the structure, and structural loads are not available and at this time.

The approach ramps leading up to the bridge are planned to consist of drilled-in-place soldier piles with precast concrete panels to retain the engineered fill. Steel cross ties are planned to tie the opposing soldier pile walls together. A cast-in-place grade beam is planned to be constructed just below the finished grade to provide support for the brick facing. Metal brick ties are planned to secure the brick facing to the precast concrete panels. The retaining walls are planned to extend approximately 500 ft north and south of the bridge along the alignment. The existing ditch on the northwest side of the existing alignment is scheduled to be filled to provide an access path from Carmel Drive to the approach ramp on the north side of the bridge. Extension of some minor drainage structures that will be buried beneath the created green space beneath the bridge is also planned. Additional information regarding the project such as construction schedule is not known.

#### FIELD EXPLORATION AND LABORATORY TESTING

#### General

Subsurface conditions were explored by performing: four test borings at the bridge structure (designated TB-1 through TB-4) to depths ranging from 45 to 60 ft and six test borings along the retaining MSE wall structures (designated RW-1 through RW-6) to depths ranging from 35 to 15 ft below existing grade. Refer to the General Site Plan and Test Boring Location Plan in Appendix C for a layout of the project, bridge structure and boring locations. The number, location and depth of the borings were selected by EEI, from information provided by UCEA, and were approved by INDOT. The borings were located in the field by EEI personnel referencing identifiable features shown on plans provided by UCEA. In addition, elevations at the borings were interpolated to the nearest ½ ft based on topographic information shown on the previously-mentioned plans. The boring locations and elevations should be considered accurate only to the degree implied by the methods used.

Exploratory drilling was performed by EEI during the period of October 9 through October 13, 2003. In general, exploratory activities were performed using hollow stem augers to advance the boreholes. Representative samples of the soil conditions using Standard Penetration Test (SPT) procedures (AASHTO T 206) were obtained at predetermined intervals. After obtaining final groundwater observations, each borehole was backfilled with auger cuttings, bentonite chip plug and a concrete patch placed at the surface. (i.e., in accordance with the "Aquifer Protection Guidelines" [revised October 30, 1996] developed by INDOT). Select borings were left open for 24-hr water level readings. Additional details of the drilling and sampling procedures are provided in Appendix B.

Following the exploratory drilling activities, the soil samples were visually classified by an engineering technician and reviewed by a geotechnical engineer. After visually classifying the soils, representative samples were selected for index property testing. These tests included: moisture content (AASHTO T 265), grain size analysis (AASHTO T 88), Atterberg limits (AASHTO T 89 and T 90), unconfined compression (AASHTO T 208), hand penetrometer readings and soil pH. The results of the tests are provided on the boring logs in Appendix D and/or respective summary sheets in Appendix E.

Following the completion of the laboratory testing, final boring logs were then prepared. Soil descriptions on the boring logs are in general accordance with the AASHTO system [AASHTO designation, e.g., A-4(0)] and the INDOT Standard Specifications (ISS¹) (textural classification, e.g., loam). The final boring logs represent our interpretation of the individual samples and field logs and results of the laboratory tests. The stratification lines on the boring logs represent the approximate boundary between soil types; although, the transition may actually be gradual.

#### SITE CONDITIONS

#### **Surface Conditions**

The project site is generally located along the existing Monon Greenway where the trail intersects Carmel Drive in the city of Carmel. From our observations, the ground surface along the existing trail was relatively level with an elevation change of approximately 1 to 2 ft along the alignment. The Monon Greenway is built upon the raised bed of the abandoned Monon Railroad line.

<sup>&</sup>lt;sup>1</sup>References the Indiana Department of Transportation (INDOT) Standard Specifications, 1999 Edition.

#### **Soil Conditions**

Based on the information gathered during our field activities, the subsurface profile along the project alignment was relatively similar and generally consisted of soil fill (i.e. railroad embankment) over natural interbedded cohesive and granular soils. The soil fill generally consisted of sandy and silty clay loam, clay loam, and loam to depths of about 4 to 7 ft below the existing ground surface. Beneath the soil fill, sandy and silty clay loam, clay loam, loam, and clay interbedded with layers of sand and gravel and sand were encountered to the maximum explored depths. At several boring locations beneath the near surface sandy loam fill, soils with trace amounts of organic matter were also encountered. In Boring RW-6, possible buried topsoil was encountered at a depth of about 4 ft below the existing ground surface. Asphaltic concrete thicknesses at the boring locations ranged from 3 to 5 in., and crushed aggregate subbase thicknesses ranged from 3 to 19 in.

From our observations, the consistency of the cohesive soils (loam, silty clay loam, silty loam, and silty clay) (natural or fill soil) ranged from very soft to hard based on N-value criteria established by INDOT. Hand penetrometer readings generally ranged from ½ to over 4½ tons/sq ft (tsf) with the majority of readings between 1 and 3 tsf. The majority of the ¼ to ¾ tsf readings were generally recorded within the near surface (upper 10 ft) soils. Moisture contents were typically on the order of 8 to 44 percent with the majority of these values between 10 and 27 percent. Two Loss on Ignition (LOI) tests were performed on near surface samples of silty clay loam with traces of organic matter from Borings RW-4 and TB-2. The results of the LOI tests indicate organic contents of 5.4 and 8.8 percent, respectively. For your information, the moisture content is directly related to the shear strength characteristics of cohesive soils, i.e., as the moisture content increases the strength decreases. The relative density of the sand and gravel, sandy loam, and sand was typically loose to dense with SPT N-values ranging from 4 to 38 blows/ft (bpf). The relative density of the granular soils generally increased with depth.

In addition, four unconfined compression tests were performed on split-spoon samples of the loam, silty clay loam, and silty clay. Results from these tests indicated peak undrained shear strengths (i.e. using the Ø=0 concept) ranging from 0.81 to 4.44 tsf at axial strains ranging from 13.6 to 15 percent. Based on a comparison of the moisture contents and Atterberg limits, the cohesive soils generally appeared to be of low to moderate plasticity and slightly over-consolidated. Furthermore, five samples were also tested for pH level, (i.e., hydrogen-ion content), and these results indicated that the pH levels ranged from 6.7 to 7.1. These results are provided in the Summary of Special Laboratory test in Appendix E.

#### **Groundwater Conditions**

Groundwater level observations made throughout the exploratory activities are noted at the bottom of the boring logs. Table 1 presents the groundwater levels observed throughout the exploratory activities.

TABLE 1. GROUNDWATER LEVEL OBSERVATIONS

| Boring         |            | Ground               | Obser             | ved Groundwater       | Level         |  |
|----------------|------------|----------------------|-------------------|-----------------------|---------------|--|
| No.            | Station    | Surface<br>Elevation | During            | At completion         | 24-Hour       |  |
| RW-1 51+84     |            | 830                  | 11 (819)          | 13.5 (816.5)          | 10 (820)      |  |
| RW-2           | 52+84      | 831                  | 8.5 (822.5)       | 10 (821)              | 10 (821)      |  |
| RW-3           | 53+78      | 831                  | 7 (824)           | 11 (820)              | 9.5 (821.5)   |  |
| TB-1           | 54+84      | 831                  | 6 (825)           | 10.5 (820.5)          | 9 (822) *     |  |
| TB-2           | 55+44      | 831                  | 9.5 (821.5)       | 10 (821)              | 10 (821) *    |  |
| TB-3           | 56+30      | 831                  | 11 (820)          | 29.5 (801.5)          |               |  |
| TB-4 56+90 831 |            | 831                  | 6 (825)           | 11 (820)              | 9.5 (821.5) * |  |
| RW-4           | 57+81      | 831                  | 12 (819)          | 11.5 (819.5)          |               |  |
| RW-5           | 58+90      | 831                  | 9.5 (821.5)       | 11.5 (819.5)          |               |  |
| RW-6           | 59+90      | 831                  | 9 (822)           | 12 (819)              |               |  |
| * Water into   | roduced du | ıring explorati      | on to reduce heav | ring at bottom of aug | jers.         |  |

Based on the observed groundwater levels, we estimate the long-term groundwater level at the time of our exploratory operations is at about Elevation 822. Perched or trapped groundwater may also be encountered in discontinuous sand seams and layers at shallower depths. It should also be noted that groundwater levels can vary due to changes in precipitation, infiltration, run-off, and other hydrogeological characteristics.

#### **DISCUSSION AND RECOMMENDATIONS**

Based upon the test boring information and our understanding of the proposed construction, as mentioned in this report, the following geotechnical recommendations are presented. If the design information discussed in this report is incorrect or changed subsequent to our reporting, or if conditions during construction are observed to be significantly different from those encountered in our borings, we should be contacted so that we may re-evaluate our recommendations.

We understand that an existing fiber optic utility that currently extends along the length of the project may or may not be relocated during construction. Based on the subsurface conditions and the anticipated loads applied by the retained fill for the approach ramps, settlement is anticipated to be a concern. Soils at and below the bearing elevation for the proposed approach ramps, which are anticipated to be at or just above the buried depth of the fiber optic utility, are not considered suitable for support of structures via a shallow foundations scheme. We estimate that approximately 1 to 1½ in. of settlement could occur where fill placement is the highest (i.e., near the bridge abutments). Settlement of this magnitude would likely cause excessive cracking of the brick façade.

Based on these conditions and the anticipated loads, two options have been considered. Option 1, removal and replacement (on the order of 4 to 5 ft) would be required. As a consequence, removal and replacement would also likely require the relocation of the fiber optic utility and add a significant cost to the project. Option 2 consists of drilled-in-place soldier piles with precast concrete panels to retain the engineered fill. This retaining wall system would alleviate the need for significant removal and replacement. However, the anticipated settlement could affect the existing fiber optic utility.

#### **Bridge Structure Foundations**

We understand that deep foundations are proposed for support of the bridge. Based on the prevalence of underground utilities in the area of the interior bents of the bridge, we believe driven piling would be suitable for support of the proposed bridge.

From information obtained at the test boring locations, we anticipate that the piles will primarily be established in soils of glacial origin (loam and sand and gravel). Given the subsurface conditions, we anticipate that the piles will achieve their capacity through a combination of skin friction and end bearing. In our opinion, a suitable pile type would be a 14-in diameter closed-end pipe pile filled with concrete following installation. From our experience, a pile of this type is anticipated to achieve the required capacity at a depth less than a low-displacement pile such as an H-pile. It should be noted that if higher pile capacities are required, then deeper exploratory borings would be required.

Estimates of the pile tip elevations were made using guidelines entitled "General Instructions for Bridge Structure Investigations" (January 1992) by INDOT and a microcomputer program entitled *SPILE* developed by the Federal Highway Administration. Based on our previous experience with similar type/size structures, piles with a working capacity of 40 tons (using a safety factor of 2.5) was considered in our analysis. Table 2 provides a summary of our analysis.

TABLE 2. SUMMARY OF ESTIMATED PILE TIP ELEVATIONS

| Location          | Tip Elevation for 14-in Pipe Pile<br>Working Pile Capacity - 40 tons |
|-------------------|--|
| Bent No. 1 (TB-1) | 786  |
| Bent No. 2 (TB-2) | 784  |
| Bent No. 3 (TB-3) | 791  |
| Bent No. 4 (TB-4) | 786  |

Based on the pH values as indicated in Appendix E, corrosion protection is generally not anticipated. Without a creek or river, scour is not applicable and down drag friction is anticipated to be negligible. Table 3 provides a summary of anticipated loading conditions for use in evaluating pile capacity during the driving process

TABLE 3. SUMMARY OF ANTICIPATED PILE LOADING CONDITIONS

| Condition                   | Bent Locations 1 through 4                                 |
|-----------------------------|--|
| Design Load (tons)          | 40   |
| Factor of Safety            | 2.5  |
| Factored Design Load (tons) | 100  |
| Friction in Scour Zone      | Not Applicable   |
| Down Drag Friction          | Negligible   |
| Ultimate Load (tons)        | 100  |
| Pile Driving Criterion      | Refer to INDOT Standard Specifications, Section 701.06 (b) |

We recommend that EEI be retained during the driving operations to verify that the construction proceeds in compliance with the design concepts, specifications and recommendations.

#### **Earth Retaining Structures**

To avoid the need for acquiring additional right-of-way for construction of the approach ramps, anchored retaining walls consisting of drilled-in-placed soldier piles with precast concrete panels and a brick facade are proposed to reduce the footprint. We understand that the soldier piles will be set in a pre-drilled hole and grouted in place in order to control the alignment of the wall (i.e., plumb and straightness). Alignment control would most likely not be possible with driven piles. During subgrade preparation, we suggest that an

EEI geotechnical engineer observe the subgrade to verify that the soil conditions are suitable for the support of the engineered backfill.

The soldier piles are anticipated to extend to a depth of about 10 to 15 ft below the existing ground surface. The soldier piles must also resist lateral loads applied by the granular backfill placed behind the precast concrete panels during and upon completion of construction activities. In order to control horizontal movement of the soldier piles, steel cross ties will connect opposing soldier piles thereby creating gravity type wall structure. The depth of embedment of the soldier piles is anticipated to depend on the flexural rigidity and spacing of these elements as well as the active and passive lateral resistance of the soil adjacent to the pile below the finished ground surface. Design of the earth retaining walls should take into consideration the earth pressures and potential pile movement during construction prior to the installation of the steel cross ties. We recommend the following earth pressures be considered for design of the retaining walls.

TABLE 4. RECOMMENDED EARTH PRESSURES

| Retained Granular Fill |                    |                   |                |                |  |  |  |  |  |
|------------------------|--------------------|-------------------|----------------|----------------|--|--|--|--|--|
| Soil Unit Weight       | Angle of Internal  | At-Rest Earth     | Active Earth   | Passive Earth  |  |  |  |  |  |
| Most/Saturated (pcf)   | Friction (degrees) | Pressure (pcf)    | Pressure (pcf) | Pressure (pcf) |  |  |  |  |  |
| 120/125                | 32                 | 60                | 40             | 400            |  |  |  |  |  |
|                        | Below              | Existing Grade    |                |                |  |  |  |  |  |
| Soil Unit Weight       | Angle of Internal  | At-Rest Earth     | Active Earth   | Passive Earth  |  |  |  |  |  |
| Moist/Saturated (pcf)  | Friction (degrees) | Pressure (pcf)    | Pressure (pcf) | Pressure (pcf) |  |  |  |  |  |
| 115/120 29             |                    | NA                | 40             | 350            |  |  |  |  |  |
| Earth pressures are ex | xpressed as Equiva | lent Fluid Pressu | res            |                |  |  |  |  |  |

The soldier piles and precast concrete panels are planned to retain the engineered fill and support a cast-in-place grade beam and brick facing. Based on the anticipated depths of embedment (i.e. 10 to 15 ft below existing grade) bearing capacity is not anticipated to be an issue. Considering that the wall is anticipated to behave as a gravity-type structure, net allowable bearing pressures of up to 9,000 psf for the 14-ft wide structure are anticipated. Due to the presence of near-surface soft/loose conditions, it should be noted that the fill is anticipated to settle during construction. However, we anticipate that settlement of the near-surface soils and the engineered fill should have little effect on the soldier piles and precast concrete panels. Estimated total settlement of the near-surface soils and the existing fill (based on Test Boring RW-5 for the proposed structure configuration) could be on the order of 1 to 1½ in.

#### **CONSTRUCTION CONSIDERATIONS**

Prior to pile installation, we recommend that subgrade preparation consist of thoroughly compacting the subgrade of the retaining wall area. We recommend that the footprint of the approach ramps be proofrolled to identify any areas of near surface unsuitable soil. In areas where subgrade soils do not perform suitably under proofroll testing, we recommend a maximum of 2 ft be removed and replaced with engineered fill. In addition to the subgrade preparation mentioned above, where granular soils are encountered in the subgrade they should be compacted prior to construction of the wall. We recommend that granular soils be compacted to a minimum of 100 percent of the maximum dry density in accordance with AASHTO T-99.

#### Fill Placement

Engineered fill placed beneath and within the approach ramps should consist of a well-graded granular material with less than 8 percent passing the No. 200 sieve. We recommend that the engineered fill be compacted to 95 percent of the maximum dry density in accordance with AASHTO T-99. Care should be exercised when compacting the engineered fill along the interior of the retaining wall near the precast concrete panels to prevent overstressing and damaging the panels. Some lateral movement of the soldier piles should be expected. If movements of greater than 1 in. at the top of the piles are realized during fill placement, then temporary lateral support should be provided or placement of the steel cross tie should be considered. Construction of the approach ramps should be in general accordance with ISS Section 203.

#### **Excavations**

Excavations for this project will require slopes cut to prevent cave-ins/subsidence for safe construction operation. The soils encountered on this project within any given excavation area are anticipated to consist of Type A, B or C (according to OSHA) and should be treated accordingly.

The risk of a slope failure increases with an increase in excavation depth, added weight near the edge of the excavation from machinery and excavated soil, and the decrease in support resulting from the removal of soil. We recommend that excavated soil not be stockpiled immediately adjacent to the top of the excavation nor should equipment be allowed to operate too closely to excavations. The Contractor is solely responsible for the construction of temporary excavations including the use of shoring, bracing, sloping, and/or benching the sides of excavations.

March 4, 2004 Page 10

Mr. Kurt Fowerbaugh, P.E. United Consulting Engineers & Architects

The existing drainage ditch, northwest of the existing alignment, is planned to be backfilled to allow access to the bridge from Carmel Drive. During clearing and grubbing activities for the ditch, we recommend that any exposed subgrade areas of soft or loose soils be either compacted or removed and replaced with engineered fill. After clearing, grubbing, and improvement of the subgrade conditions within the ditch, slopes may be too steep to accept placement of new fill. Section 203 of ISS should be reviewed for procedures related to fill placement on slopes and in ditches.

#### **Groundwater Control**

Based on the subsurface information, it is likely that excavations extending to depths of about 9 ft or more will encounter groundwater. Groundwater may also be encountered at shallower depths in discontinuous sand seams and layers. In those areas where cohesive soils are encountered, the groundwater can likely be controlled using a pump and filtered sump, possibly in combination with collection trenches. In areas where granular soils are encountered, alternate dewatering methods such as perimeter wells or well points may be necessary.

#### CONCLUDING REMARKS

We recommend that EEI be provided the opportunity to review the contractor's design and construction procedures to confirm that foundation requirements have been properly interpreted and implemented in the design. We also recommend that EEI be retained to provide construction observation services during the appropriate phases of the project. This will allow us to verify that the construction proceeds in compliance with the design concepts and recommendations.

This evaluation has been conducted in accordance with generally accepted soil and foundation engineering practices. The recommendations in this report are based on the subsurface information from the relatively widely-spaced borings performed for this project. It is important to recognize that subsurface conditions can vary over relatively short distances. If unanticipated conditions are encountered during construction, we recommend that EEI be contacted to re-evaluate the conclusions and recommendations contained in this report.

We appreciate the opportunity to provide our services to you on this project. Please contact our office if you have any questions or need further assistance with the project.

> NO. 10200085

> > No. 910185

Sincerely,

EARTH EXPLORATION, INC.

Darren R. Pleiman, P.E.

Senior Geotechnical Engineer

Scott J. Ludlow, Ph.D., P.E.

Principal Engineer

Attachments -

GONAL EN APPENDIX A - Important Information about Your Geotechnical Report

APPENDIX B - Field Methods for Exploring and Sampling Soils and Rock

APPENDIX C - General Site Plan (Drawing No. 1-03-071.A1)

Test Boring Location Plan (Drawing No. 1-03-071.B2)

APPENDIX D - Log of Test Boring - General Notes

Log of Test Boring - Bridge Borings (4)

Log of Test Boring – MSE Structure Borings (6)

APPENDIX E - Summary of Special Laboratory Test Results

Summary of Classification Test Results

Grain Size Distribution Curve (5)

Unconfined Compression Test (4)

APPENDIX F - Subsurface Profile at Bridge Structure (Drawing No. 1-03-071.B3)

Static Analyses For Pile Load Capacity

Bearing Capacity Analysis

Settlement Analysis for Proposed Embankment

#### **APPENDIX A**

Important Information About Your Geotechnical Engineering Report

### **Important Information About Your**

## Geotechnical Engineering Report

Subsurface problems are a principal cause of construction delays, cost overruns, claims, and disputes.

The following information is provided to help you manage your risks.

#### **Geotechnical Services Are Performed for Specific Purposes, Persons, and Projects**

Geotechnical engineers structure their services to meet the specific needs of their clients. A geotechnical engineering study conducted for a civil engineer may not fulfill the needs of a construction contractor or even another civil engineer. Because each geotechnical engineering study is unique, each geotechnical engineering report is unique, prepared solely for the client. No one except you should rely on your geotechnical engineering report without first conferring with the geotechnical engineer who prepared it. And no one—not even you—should apply the report for any purpose or project except the one originally contemplated.

#### **Read the full report**

Serious problems have occurred because those relying on a geotechnical engineering report did not read it all. Do not rely on an executive summary. Do not read selected elements only.

#### A Geotechnical Engineering Report Is Based on A Unique Set of Project-Specific Factors

Geotechnical engineers consider a number of unique, project-specific factors when establishing the scope of a study. Typical factors include: the client's goals, objectives, and risk management preferences; the general nature of the structure involved, its size, and configuration; the location of the structure on the site; and other planned or existing site improvements, such as access roads, parking lots, and underground utilities. Unless the geotechnical engineer who conducted the study specifically indicates otherwise, do not rely on a geotechnical engineering report that was:

- not prepared for you,
- not prepared for your project,
- not prepared for the specific site explored, or
- completed before important project changes were made.

Typical changes that can erode the reliability of an existing geotechnical engineering report include those that affect:

• the function of the proposed structure, as when

it's changed from a parking garage to an office building, or from a light industrial plant to a refrigerated warehouse,

- elevation, configuration, location, orientation, or weight of the proposed structure,
- composition of the design team, or
- project ownership.

As a general rule, always inform your geotechnical engineer of project changes—even minor ones—and request an assessment of their impact. Geotechnical engineers cannot accept responsibility or liability for problems that occur because their reports do not consider developments of which they were not informed.

#### **Subsurface Conditions Can Change**

A geotechnical engineering report is based on conditions that existed at the time the study was performed. *Do not rely on a geotechnical engineering report* whose adequacy may have been affected by: the passage of time; by man-made events, such as construction on or adjacent to the site; or by natural events, such as floods, earthquakes, or groundwater fluctuations. *Always* contact the geotechnical engineer before applying the report to determine if it is still reliable. A minor amount of additional testing or analysis could prevent major problems.

#### Most Geotechnical Findings Are Professional Opinions

Site exploration identifies subsurface conditions *only* at those points where subsurface tests are conducted or samples are taken. Geotechnical engineers review field and laboratory data and then apply their professional judgment to render an *opinion* about subsurface conditions throughout the site. Actual subsurface conditions may differ—sometimes significantly—from those indicated in your report. Retaining the geotechnical engineer who developed your report to provide construction observation is the most effective method of managing the risks associated with unanticipated conditions.

#### A Report's Recommendations Are *Not* Final

Do not overrely on the construction recommendations included in your report. Those recommendations are not final, because geotechnical engineers develop them principally from judgment and opinion. Geotechnical engineers can finalize their recommendations only by observing actual subsurface conditions revealed during construction. The geotechnical engineer who developed your report cannot assume responsibility or liability for the report's recommendations if that engineer does not perform construction observation.

#### A Geotechnical Engineering Report Is Subject To Misinterpretation

Other design team members' misinterpretation of geotechnical engineering reports has resulted in costly problems. Lower that risk by having your geotechnical engineer confer with appropriate members of the design team after submitting the report. Also retain your geotechnical engineer to review pertinent elements of the design team's plans and specifications. Contractors can also misinterpret a geotechnical engineering report. Reduce that risk by having your geotechnical engineer participate in prebid and preconstruction conferences, and by providing construction observation.

#### Do Not Redraw the Engineer's Logs

Geotechnical engineers prepare final boring and testing logs based upon their interpretation of field logs and laboratory data. To prevent errors or omissions, the logs included in a geotechnical engineering report should *never* be redrawn for inclusion in architectural or other design drawings. Only photographic or electronic reproduction is acceptable, *but recognize that separating logs from the report can elevate risk.* 

#### Give Contractors a Complete Report and Guidance

Some owners and design professionals mistakenly believe they can make contractors liable for unanticipated subsurface conditions by limiting what they provide for bid preparation. To help prevent costly problems, give contractors the complete geotechnical engineering report, *but* preface it with a clearly written letter of transmittal. In that letter, advise contractors that the report was not prepared for purposes of bid development and that the

report's accuracy is limited; encourage them to confer with the geotechnical engineer who prepared the report (a modest fee may be required) and/or to conduct additional study to obtain the specific types of information they need or prefer. A prebid conference can also be valuable. Be sure contractors have sufficient time to perform additional study. Only then might you be in a position to give contractors the best information available to you, while requiring them to at least share some of the financial responsibilities stemming from unanticipated conditions.

#### **Read Responsibility Provisions Closely**

Some clients, design professionals, and contractors do not recognize that geotechnical engineering is far less exact than other engineering disciplines. This lack of understanding has created unrealistic expectations that have led to disappointments, claims, and disputes. To help reduce such risks, geotechnical engineers commonly include a variety of explanatory provisions in their reports. Sometimes labeled "limitations", many of these provisions indicate where geotechnical engineers responsibilities begin and end, to help others recognize their own responsibilities and risks. Read these provisions closely. Ask questions. Your geotechnical engineer should respond fully and frankly.

#### **Geoenvironmental Concerns Are Not Covered**

The equipment, techniques, and personnel used to perform a *geoenvironmental* study differ significantly from those used to perform a *geotechnical* study. For that reason, a geotechnical engineering report does not usually relate any geoenvironmental findings, conclusions, or recommendations; e.g., about the likelihood of encountering underground storage tanks or regulated contaminants. *Unanticipated environmental problems have led to numerous project failures*. If you have not yet obtained your own geoenvironmental information, ask your geotechnical consultant for risk management guidance. *Do not rely on an environmental report prepared for someone else*.

#### Rely on Your Geotechnical Engineer for Additional Assistance

Membership in ASFE exposes geotechnical engineers to a wide array of risk management techniques that can be of genuine benefit for everyone involved with a construction project. Confer with your ASFE-member geotechnical engineer for more information.



8811 Colesville Road Suite G106 Silver Spring, MD 20910 Telephone: 301-565-2733 Facsimile: 301-589-2017 email: info@asfe.org www.asfe.org

Copyright 2000 by ASFE, Inc. Unless ASFE grants written permission to do so, duplication of this document by any means whatsoever is expressly prohibited. Re-use of the wording in this document, in whole or in part, also is expressly prohibited, and may be done only with the express permission of ASFE or for purposes of review or scholarly research.

#### **APPENDIX B**

Field Methods for Exploration and Sampling Soils

#### FIELD METHODS FOR EXPLORING AND SAMPLING SOILS AND ROCK

#### A. Boring Procedures Between Samples

The boring is extended downward, between samples, by a hollow stem auger (AASHTO\* Designation T251-77), a continuous flight auger, driven and washed-out casing, or rotary boring with drilling mud or water.

#### B. Penetration Test and Split-Barrel Sampling of Soils

(AASHTO\* Designation: T206-87)

This method consists of driving a 2-inch outside diameter split-barrel sampler using a 140 pound weight falling freely through a distance of 30 inches. The sampler is first seated 6-inches into the material to be sampled and then driven 12 inches. The number of blows required to drive the sampler the final 12 inches is known as the Standard Penetration Resistance or N-Value. The blow counts are reported on the Test Boring Records per 6 inch increment. Recovered samples are first classified as to texture by the driller. Later, in the laboratory the driller's classification is reviewed by a soils engineer who examines each sample.

#### C. Thin-walled Tube Sampling of Soils

(AASHTO\* Designation: T207-87)

This method consists of pushing a 2-inch or 3-inch outside diameter thin wall tube by hydraulic or other means into soils, usually cohesive types. Relatively undisturbed samples are recovered.

#### D. Soil Investigation and Sampling by Auger Borings

(AASHTO\* Designation: T203-82)

This method consists of augering a hole and removing representative soil samples from the auger flight or bucket at 5-foot intervals or with each change in the substrata. Relatively disturbed samples are obtained and its use is therefore limited to situations where it is satisfactory to determine approximate subsurface profile.

#### E. Diamond Core Drilling for Site Investigation

(AASHTO\* Designation: T225-83)


This method consists of advancing a hole in bedrock or other hard strata by rotating downward a single tube or double tube core barrel equipped with a cutting bit. Diamond, tungsten carbide, or other cutting agents may be used for the bit. Wash water is used to remove the cuttings. Normally, a 3-inch outside diameter by 2-inch inside diameter coring bit is used unless otherwise noted. The rock or hard material recovered within the core barrel is examined in the field and laboratory. Cores are stored in partitioned boxes and the length of recovered material is expressed as a percentage of the actual distance penetrated.


 $<sup>^</sup>st$  American Association of State Highway and Transportation Officials, Washington D.C.

#### **APPENDIX C**

General Site Plan (Drawing No. 1-03-071.A1)

Test Boring Location Plan (Drawing No. 1-03-071.B2)





#### **APPENDIX D**

Log of Test Boring - General Notes

Log of Test Boring – Bridge Structure Borings (4)

Log of Test Boring – MSE Structure Borings (6)

#### LOG OF TEST BORING - GENERAL NOTES

#### DESCRIPTIVE SOIL CLASSIFICATION

#### **GRAIN SIZE TERMINOLOGY**

| Soil Fraction | Particle Size U   | S Standard Sieve Size  |
|---------------|-------------------|--|
| Gravel        | Larger than 75 mm | #10 to 75 mm<br>#40 to #10<br>#200 to #40<br>Smaller than #200 |

Plasticity characteristics differentiate between silt and clay.

#### **GENERAL TERMINOLOGY**

#### RELATIVE DENSITY

Very soft . . . . . . 0 - 3

Soft . . . . . . . . . 4 - 5

Med stiff . . . . . . . 6 - 10 Stiff . . . . . . . . . . . 11 - 15

Very Stiff . . . . . . . 16 - 30

Hard . . . . . . . . . 31+

**PLASTICITY** 

None to slight ... 0 - 4

Slight . . . . . . . . 5 - 7

Medium . . . . . . . 8 - 22

High/Very High . . Over 22

Plastic Index

"N" Value

| Physical Characteristics - Color, moisture, grain shape, | Term           | "N" Value |
|--|----------------|-----------|
| fineness, etc.   | Very loose     | 0 - 5     |
| Major Constituents                                       | Loose          |           |
| - Clay, silt, sand, gravel                               | Medium dense . | 11 - 30   |
| Structure  | Dense          | 31 - 50   |
| <ul> <li>Laminated, varved, fibrous,</li> </ul>          | Very Dense     | 51+       |
| stratified, cemented, fissured,                          |                |           |
| etc.   |                |           |
| Geologic Origin  | CONSISTE       | NCY       |
| - Glacial, alluvial, eolian,                             |                |           |

Term

Term

#### RELATIVE PROPORTIONS OF COHESIONLESS SOILS

Defining Range by

residual, etc.

| Term   |  |  |  | % | 0 | f Weight |
|--------|--|--|--|---|---|----------|
| Trace  |  |  |  |   |   | 1 - 10%  |
| Little |  |  |  |   |   | 11 - 20% |
| Some   |  |  |  |   |   | 21 - 35% |
| And .  |  |  |  |   |   | 36 - 50% |

#### ORGANIC CONTENT BY COMBUSTION METHOD

Soil Description

| w/ trace organic matter  | 1 - 6%   |
|--------------------------|----------|
| w/ little organic matter | 7 - 12%  |
| w/ some organic matter   | 13 - 18% |
| Organic Soil (A-8)       | 19 - 30% |

Peat (A-8) . . . . . . . . . More than 30%

The penetration resistance, N, is the summation of the number of blows required to effect two successive 6-in. penetrations of the 2-in. split-barrel sampler. The sampler is driven with a 140-lb weight falling 30 in. and is seated to a depth of 6 in. before commencing the standard penetration test.

LOI

#### SYMBOLS

#### DRILLING AND SAMPLING

| AS | - Auger Sample |
|----|----------------|
| BS | - Bag Sample   |

C - Casing: Size 21/2", NW; 4", HW

COA - Clean-Out Auger

CS - Continuous Sampling

CW - Clear Water DC - Driven Casing

DM - Drilling Mud

FA - Flight Auger

FT - Fish Tail

HA - Hand Auger

HSA - Hollow Stem Auger

NR - No Recovery

PMT - Borehole Pressuremeter Test

PT - 3" O.D. Piston Tube Sample

PTS - Peat Sample

RB - Rock Bit

RC - Rock Coring

REC - Recovery

RQD - Rock Quality Designation

RS - Rock Sounding

S - Soil Sounding

SS - 2" O.D. Split-Barrel Sample

2ST - 2" O.D. Thin-Walled Tube Sample

3ST - 3" O.D. Thin-Walled Tube Sample

VS - Vane Shear Test WPT - Water Pressure Test

#### LABORATORY TESTS

qp - Penetrometer Reading, tsf

qu - Unconfined Strength, tsf

W - Moisture Content, %

LL - Liquid Limit, %

PL - Plastic Limit, %

PI - Plasticity Index

SL - Shrinkage Limit, %

LOI - Loss on Ignition, %

 $\gamma$  - Dry Unit Weight, pcf


pH - Measure of Soil Alkalinity/Acidity

#### WATER LEVEL **MEASUREMENT**

BF - Backfilled upon Completion

NW - No Water Encountered

Note: Water level measurements shown on the boring logs represent conditions at the time indicated and may not reflect static levels, especially in cohesive soils.




| Project | Monon Greenway over Carmel Drive         |
|---------|--|
| Locatio | n Carmel, Indiana                        |
| Client  | United Consulting Engineers & Architects |

7770 West New York Street - Indianapolis, Indiana 46214

Boring No. TB-1
Elevation 831.0
Datum USC & GS
EEI Proj. No. 1-03-071
Sheet 1 of 2

|           |            | 31          | 7-273-1690 / 317-273-2250 (F | ax)     |              |           |      |
|-----------|------------|-------------|------------------------------|---------|--------------|-----------|------|
| Proj. No. | STP-0399() | Struct. No. |                              | Weather | Cloudy 70° F | Driller   | R.I. |
| Des. No.  | 0300059    | Station     | 54+84                        | Offset  | 3' Dt "D"    | Inspector |      |

|                          | SAMPLE DESCRIPTION/CLASSIFICATION |                            | S              | OIL P             | ROPE | RTI   | ES                  | 3                     |   |           |             |         |     |
|--------------------------|-----------------------------------|----------------------------|----------------|-------------------|------|---|---------------------|-----------------------|---|-----------|-------------|---------|-----|
| No.                      | Type                              | Rec<br>%                   | Blow<br>Counts | Depth<br>ft Elev  |      | and REMARKS   | q <sub>p</sub>      | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf                           | W<br>%    |             | PL<br>% |     |
| SS-1                     | X                                 | 55                         | 6-6-7          | 830-              | 0    | ASPHALTIC CONCRETE (5 in) GRANULAR SUBBASE (crushed stone; 7 in) SANDY LOAM with Some Gravel, medium dense, moist, brown, (fill), A-2-4, Lab No. 5747SL   |                     |                       |   |           |             |         |     |
| SS-2                     | M                                 | 55                         | 3-5-6          | 5 -               |      | LOAM, stiff, moist, dark gray, with trace wood and roots (fill; visual)   | 1.75                |                       |   | 21.4      |             |         |     |
| SS-3                     | M                                 | 85                         | 2-2-3          | 825               |      | LOAM, soft, moist, gray, A-6, Lab No. 5745SL  | 0.5                 |                       | 1   | 17.4      |             |         |     |
|                          |                                   |                            |                | <u> </u>          |      | SANDY LOAM, moist, gray (visual)  |                     |                       |   |           |             |         |     |
| SS-4                     | M                                 | 40                         | 5-6-9          | 10                |      | SANDY LOAM, medium dense, wet, brown (visual)   |                     |                       |   |           |             |         |     |
| SS-5                     | M                                 | 85                         | 6-7-10         | 820               |      | (visual)  |                     |                       |   |           |             |         |     |
| SS-6                     | X                                 | 100                        | 8-10-12        | 15 - 815          |      | SAND, medium dense, wet, gray, with occasional silt seams (visual)  |                     |                       |   |           |             |         |     |
| SS-7                     | M                                 | 45                         | 5-5-4          | 20 -              |      |   | 1.5                 |                       | 1   | 4.2       |             |         |     |
| SS-8                     | X                                 | 55                         | 5-5-7          |                   |      | <b>LOAM</b> , medium stiff to stiff, moist, gray, A-4(1), Lab No. 5748SL  | 2.5<br>1.75         |                       | 1   | 1.9       | 19          | 12      | 7   |
| SS-9                     | X                                 | 55                         | 4-6-7          | -30 -             |      | Continued Next Page   | 0.75<br>2.0         |                       | 1;  | 3.6       |             |         |     |
| MALORIA MALORIA MARIANTA |                                   |                            | WATE           | RLE               | VE   | L OBSERVATIONS  | GEN                 | ERAL                  | NOTE  | S         |             |         |     |
| Т                        | o V                               | epth<br>ft<br>Vate<br>Cave | r _            | ∑ Whil<br>Drillir |      | Drilling No. 2016 Proposition After Drilling No. 2016 Proposition | /lethod<br>G. Grout | 3¼" I<br>ed above     | 0/9/03 Ri<br>D. HSA<br>the cave-i<br>Water intr | T<br>n de | rucl<br>pth | an      | d . |
| The st                   | rati                              | ficatio                    |                | esent the         | appr | oximate boundary between soil/rock types and 11' to red   |                     | .1                    | vvater mur                                      |           |             |         |     |



Project Monon Greenway over Carmel Drive
Location Carmel, Indiana
Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214


| Boring No | o  | TB-     | 1  |
|-----------|----|---------|----|
| Elevation |    | 831.0   |    |
| Datum .   |    | USC &   | GS |
| EEI Proj. | No | 1-03-07 | 71 |
| Sheet     | 2  | of      | 2  |

 317-273-1690 / 317-273-2250 (Fax)

 Proj. No.
 STP-0399 ()
 Struct. No.
 -- Weather
 Cloudy 70° F
 Driller
 B.J.

 Des. No.
 0300059
 Station
 54+84
 Offset
 3' Rt. "B"
 Inspector
 -- 

| SA          | MPLE           |                  | DESCRIPTION/CLASSIFICATION                                       | SOIL PROPERTIES |                       |                       |        |         |  |         |  |  |
|-------------|----------------|------------------|--|-----------------|-----------------------|-----------------------|--------|---------|--|---------|--|--|
| No. PRec %  | Blow<br>Counts | Depth<br>ft Elev | and REMARKS  | q <sub>p</sub>  | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% |  | PI<br>% |  |  |
| SS-10 V 100 | 4-4-5          | 35 - 795-        | LOAM, medium stiff to stiff, moist, gray, A-4(1), Lab No. 5748SL | 2.0 2.75        |                       |                       | 10.6   |         |  |         |  |  |
| SS-11 V 100 | 7-12-12        | - 40 790         | SAND, medium dense to dense, wet, gray (visual)                  |                 |                       |                       |        |         |  |         |  |  |
| SS-12 100   | 9-15-16        | 45               |  |                 |                       |                       |        |         |  |         |  |  |
|             |                |                  | pproximate boundary between soil/rock types and                  |                 |                       |                       |        |         |  |         |  |  |




| Project  | Monon Greenway over Carmel Drive     |
|----------|--------------------------------------|
| Location | Carmel, Indiana                      |
| O        | wited Committee Frederic C. A. Litt. |

Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214
317-273-1690 / 317-273-2250 (Fax)

| Boring No   | TB-2         |
|-------------|--------------|
| Elevation.  | 831.0        |
| Datum       | USC & GS     |
| EEI Proj. N | No. 1-03-071 |
| Sheet       | 1 of 2       |

| Proj. No. | STP-0399() | Struct. No. | 64 65 65 | Weather | Cloudy 65° F | Driller   | B.J. |
|-----------|------------|-------------|----------|---------|--------------|-----------|------|
| Des. No.  | 0300059    | Station     | 55+44    | Offset  | 3' Rt. "B"   | Inspector |      |

| Des. No. 0300059 |            | Station        | Station 55+44 Offset |                               |   | 3" Ins                        | Inspector                       |                       |                        |      |          |         |
|------------------|------------|----------------|----------------------|-------------------------------|---|-------------------------------|---------------------------------|-----------------------|------------------------|------|----------|---------|
|                  | SAI        | MPLE           |                      |                               | DESCRIPTION/CLASSIFICATION                      |                               |                                 | IL PRO                | PERTI                  | ES   | 6        | -       |
| No.              | Rec<br>%   | Blow<br>Counts | Depth<br>ft Elev     |                               | nd REMARK                                       | S                             | q <sub>p</sub><br>tsf           | q <sub>u</sub><br>tsf | γ <sub>d</sub> W pcf % |      | - 1      | PI<br>% |
|                  |            |                |                      | V - V                         | <b>CONCRETE</b> (5 in                           |                               | _                               |                       |                        |      |          |         |
| AS-1             |            |                | 830                  | GRANULAR                      | SUBBASE (crush                                  | ,                             |                                 |                       |                        |      |          |         |
|                  |            |                |                      | SANDY LOA<br>gray, (fill), A- | <b>M with Some Gra</b><br>2-4, Lab No. 5747     | <b>el</b> , moist, dark<br>SL |                                 |                       |                        |      | +        |         |
| SS-2             | 85         | 2-3-4          |                      | SILTYCLAY                     | LOAM, medium s                                  | iff moist dark                | 1.0                             |                       | 44.5                   |      |          |         |
| Y                |            |                | <del>-</del> 5 -     |                               | ce to little organic                            |                               | € 1.75                          |                       | 44.5                   |      | _        |         |
|                  |            |                | 825                  |                               | I = 8.8%, A-6, Lab                              |                               |                                 |                       |                        |      |          |         |
| SS-3             | 85         | 2-2-3          | L J                  | [14 F]                        |   |                               | 1.0<br>1.25                     |                       | 24.4                   |      |          |         |
|                  |            |                | <u> </u>             | SILTY CLAY,                   | soft, moist, gray a                             | nd brown,                     | 1.25                            |                       |                        |      | $\dashv$ |         |
|                  |            |                | + -{                 | / <sub>+</sub> + A-7-6, Lab N | o. 5746SL                                       |                               | 0.5                             |                       | 24.3                   |      | _        |         |
| SS-4             | 85         | 2-2-4          | 10▼ ▼                | - /+                          |   |                               |                                 |                       | 24.3                   |      |          |         |
|                  |            |                | 820-                 |                               | SANDY LOAM, loose, wet, brown (visual)          |                               |                                 |                       |                        |      |          |         |
| SS-5             | 100        | 5-10-10        | - 15 -               |                               | GRAVELLY SAND, medium dense, wet, gray (visual) |                               |                                 |                       |                        |      |          |         |
|                  |            |                | 815                  | GRAVELLY S<br>(visual)        |   |                               |                                 |                       |                        |      |          |         |
| SS-6             | 100        | 4-5-7          |                      |                               |   |                               |                                 |                       |                        |      |          |         |
|                  |            |                | -20 -<br>- 810-      |                               |   |                               | 1.75                            |                       | 11.1                   |      |          |         |
| SS-7 V           |            |                |                      | LOAM otiff w                  | agist grov A. I. I.                             | h Na 574001                   |                                 |                       |                        |      |          |         |
| SS-7             | 85         | 3-5-6          | -<br>-25 -           | LOAIVI, Still, II             | noist, gray, A-4, La                            | D NO. 5748SL                  | 1.75                            |                       | 10.7                   |      | +        | -       |
|                  |            |                | - 805-<br><br>       |                               |   |                               |                                 |                       |                        |      |          |         |
| SS-8             | 85         | 3-3-8          | -30 -                |                               | ntinued New 4 D                                 |                               |                                 |                       |                        |      |          |         |
|                  |            | WATE           | RLE                  | VEL OBSERV                    | ntinued Next Page<br>/ATIONS                    |                               | GENE                            | RAL N                 | OTES                   |      |          | -       |
|                  | epth<br>ft | Ž              | Z While<br>Drillin   |                               |   | illing                        | 10/9/03 Er                      |                       |                        |      |          | ]       |
| To V             | Wate       | r              | 91/2                 |                               | 10  | ווווווטן                      | g Method<br>irks <b>Grouted</b> |                       |                        | ruck |          |         |
| To C             | Cave-      | -in            |                      | 11                            | 11  | concre                        | ete patch at su                 |                       |                        |      |          |         |
| The stratif      | fication   | n lines repre  | esent the            | approximate boundary l        | between soil/rock types                         |                               | reduce heav                     |                       |                        |      |          |         |



Project Monon Greenway over Carmel Drive

Location Carmel, Indiana


Client United Consulting Engineers & Architects

| Boring No. TB-2        |
|------------------------|
| Elevation 831.0        |
| Datum USC & GS         |
| EEI Proj. No. 1-03-071 |
| Sheet 2 of 2           |

7770 West New York Street - Indianapolis, Indiana 46214 317-273-1690 / 317-273-2250 (Fax)

| Proj. No. | STP-0399() | Struct. No. |       | Weather | Cloudy 65° F | Driller   | B.J. |
|-----------|------------|-------------|-------|---------|--------------|-----------|------|
| Des. No.  | 0300059    | Station     | 55+44 | Offset  | 3' Rt. "B"   | Inspector | •••  |

| SAMPLE             |                | Τ                |      |  |                       | mspecic               |                       |        |         |         |   |
|--------------------|----------------|------------------|------|--|-----------------------|-----------------------|-----------------------|--------|---------|---------|---|
| 1-1                |                | T                |      | DESCRIPTION/CLASSIFICATION   | S                     | OIL P                 | ROPE                  | RTI    | ES      | )       |   |
| No.   Rec          | Blow<br>Counts | Depth<br>ft Elev | ,    | and REMARKS  | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% | PL<br>% |   |
|                    |                | - 800-<br>       |      |  |                       |                       |                       |        |         |         |   |
| SS-9 X 100         | 7-7-5          | - 35 - 795-      |      |  |                       |                       |                       |        |         |         |   |
| SS-10 85           | 8-10-12        | 40 -             |      | SAND, medium dense, wet, gray, with occasional sandy loam and sand and gravel seams (visual) |                       |                       |                       |        |         |         |   |
| SS-11 X 100        | 6-7-9          |                  |      |  |                       |                       |                       |        |         |         |   |
| SS-12 85           | 10-18-18       | 50 - 780-        | 0 0  |  |                       |                       |                       |        |         |         |   |
| SS-13 X 100        | 16-17-19       |                  | 0 0  | SAND AND GRAVEL, dense, wet, gray (visual)   |                       |                       |                       |        |         |         |   |
| SS-14 40           | 39-49-52       | -60              |      | <b>LOAM</b> , hard, moist, gray, A-4, Lab No. 5748SL   | >4.5                  |                       |                       | 7.2    |         |         |   |
|                    |                |                  |      | End of Boring at 60 ft   |                       |                       |                       |        |         |         |   |
| The stratification | n lines repre  | esent the        | appr | oximate boundary between soil/rock types and   |                       |                       |                       |        |         |         | 4 |



Project Monon Greenway over Carmel Drive


Location Carmel, Indiana

Client United Consulting Engineers & Architects

| Boring No    | TB-3     |  |
|--------------|----------|--|
| Elevation    | 831.0    |  |
| Datum U      | JSC & GS |  |
| EEI Proj. No | 1-03-071 |  |
| Sheet1       | of2      |  |

|           |             | 7770 West New Y |       | apolis, Indiana 46214<br>2250 (Fax) | Sheet       | of        | 2   |
|-----------|-------------|-----------------|-------|-------------------------------------|-------------|-----------|-----|
| Proj. No. | STP-0399 () | Struct. No.     |       | Weather                             | Sunny 75° F | Driller   | B.J |
| Des. No.  | 0300059     | Station         | 56+30 | Offset                              | 3' Rt. "B"  | Inspector |     |

| No   |      | SAMPLE    |   |         |            |            |      | DESCRIPTION/CLASSIFICATION  | S        | OIL P    | ROPE     | RTI  | ES | 3 |   |
|--|------|-----------|---|---------|------------|------------|------|---|----------|----------|----------|------|----|---|---|
| SS-1   | No.  | Type      | 100000000000000000000000000000000000000 |         |            |            |      | and REMARKS   |          |          | -        |      |    |   |   |
| SAIDY LOAM with Some Grave, medium   SAIDY LOAM medium stiff, moist, dark   Size   S   |      |           |   |         |            |            | 00   | ASPHALTIC CONCRETE (3 in)   |          |          |          |      |    |   |   |
| SS-2   | SS-1 | M         | 65                                      | 7-10-8  | -          | 030        |      | SANDY LOAM with Some Gravel, medium   |          |          |          |      |    |   |   |
| SS-2   |      | $\bigcup$ |   |         | -          | 1          |      |   |          |          |          |      |    |   |   |
| SS-3   | SS-2 | A         | 85                                      | 2-3-4   | -5         | -          |      | gray, with trace to little organic matter, A-6, Lab                             |          |          |          | 24.7 |    |   |   |
| Continued Next Page  | 00.0 | M         | -                                       |         | +          | 825        | 14   | No. 5/44SL  | 1.25     |          |          |      |    |   | - |
| SS-5   100   8-12-13   | 55-3 | A         | 85                                      | 3-3-3   | -<br> -    | -          |      |   | 0.75     |          |          | 20.4 |    |   |   |
| SS-5   100   8-12-13   | SS-4 | M         | 85                                      | 5-5-6   | 10         | 1          |      | SANDY LOAM, medium dense, wet, brown, with occasional silt seams and sand seams |          |          |          |      |    |   |   |
| SS-6 \ 100 6-7-7   |      |           |   |         | Ā          | 820-       |      |   |          |          |          |      |    |   |   |
| SS-6   100   6-7-7   15   15   15   15   15   15   15   1  | SS-5 | XI.       | 100                                     | 8-12-13 | - '        | <b>y</b> † |      |   | 2.25     |          |          | 11.1 |    |   |   |
| SS-7   35   7-10-9   20   LOAM, stiff to very stiff, moist, gray, with occasional wet sand and sandy loam seams, A-4, Lab No. 5748SL   1.25   13.6   10.1   1.75   10.1   10.1   1.75   10.1   10.1   1.75   10.1   1.75   10.1   10.1   1.75   10.1    |      | $\forall$ | 400                                     |         |            | 3          |      |   | 3.5      |          |          |      |    | - | - |
| SS-7 \ 35  | 55-6 | Μ         | 100                                     | 6-7-7   | 15         | -          |      |   | >4.5     | 4.44     | 121.7    | 14.5 |    | - |   |
| SS-8 100 4-6-6  SS-9 100 6-6-7  Depth  |      |           |   |         | -          | 815-       |      |   |          |          |          |      |    |   |   |
| SS-8   100   4.6-6   25   9.9  | SS-7 | X.        | 35                                      | 7-10-9  | -20        | -          |      | LOAM stiff to very stiff moist gray with  | 1.25     |          |          | 13.6 |    |   |   |
| SS-9 100 6-6-7 30 Continued Next Page  WATER LEVEL OBSERVATIONS  Depth   |      |           |   |         | -          | 810-       |      | occasional wet sand and sandy loam seams,                                       |          |          |          |      |    |   |   |
| SS-9 100 6-6-7 30 Continued Next Page  WATER LEVEL OBSERVATIONS  Depth   | SS-8 | M.        | 100                                     | 4-6-6   | -          | -          |      | _   | 2.5      |          |          | 0.0  |    | + | - |
| SS-9 100 6-6-7 30 Continued Next Page  WATER LEVEL OBSERVATIONS  Depth ft Drilling To Water 11 12 BF To Cave-in 1.75 10.1  Location Served Next Page  Start 10/13/03 End 10/13/03 Rig CME 75 Drilling Method 3½" I.D. HSA Truck Remarks Grouted above the cave-in depth and concrete patch at surface.   |      | 4         |   |         | -<br>-25   | -          |      |   | 2.5      |          |          | 9.9  |    | - | - |
| WATER LEVEL OBSERVATIONS  Depth  |      |           |   |         | <br>-<br>- | 805-       |      |   |          | ×        |          |      |    |   |   |
| WATER LEVEL OBSERVATIONS  Depth  |      |           |   |         | -          |            |      | _   |          |          |          |      | 4  | _ | 4 |
| WATER LEVEL OBSERVATIONS       GENERAL NOTES         Depth ft Drilling       ✓ While Drilling       ✓ Upon Completion       ✓ After Drilling       Start 10/13/03 End 10/13/03 Rig CME 75 Drilling Method 3½" I.D. HSA Truck       Drilling Method 3½" I.D. HSA Truck       Remarks Grouted above the cave-in depth and concrete patch at surface.   | SS-9 | <u>\</u>  | 00                                      | 6-6-7   | -<br>-30   | -          |      | Continued Next Page   | 1.75     |          |          | 10.1 |    |   | _ |
| ft Drilling Completion After Drilling Drilling Method 3½" I.D. HSA Truck To Water 11 12 BF Remarks Grouted above the cave-in depth and concrete patch at surface.  |      |           |   | WATE    | R          | LE         | /E   | L OBSERVATIONS  | GEN      | ERAL     | NOT      | ES   |    |   |   |
| To Water 11 12 BF Remarks Grouted above the cave-in depth and concrete patch at surface.   |      |           |   | Ž       |            |            |      | Completion After Drilling   |          |          |          | _    |    |   |   |
|  |      |           |   |         |            | 11         | -    | 12BF Remarks  | Grout    | ed above | the cave |      |    |   | t |
| Also Association many by a state of the stat |      |           |   |         | esen       | t the a    | appı |   | patch at | surface. |          |      |    |   |   |



Project Monon Greenway over Carmel Drive
Location Carmel, Indiana
Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214

Boring No. TB-3

Elevation 831.0

Datum USC & GS


EEI Proj. No. 1-03-071

Sheet 2 of 2

317-273-1690 / 317-273-2250 (Fax)

Proj. No. STP-0399 () Struct. No. --- Weather Sunny 75° F Driller B.J.
Des. No. 0300059 Station 56+30 Offset 3' Rt. "B" Inspector ---

| Des. No.          |                          |  | Station 56+30 Offset   | 3' Rt.                | Ь                     | inspecto  | )I     |         | -       |         |
|-------------------|--------------------------|--|--|-----------------------|-----------------------|-----------|--------|---------|---------|---------|
| 141               | SAMPLE  T Rec Blow Depth |  | DESCRIPTION/CLASSIFICATION   | S                     | OIL P                 | ROPE      | RTI    | ES      | ;       |         |
|                   | ec Blow<br>6 Counts      | Depth<br>ft Elev                             | and REMARKS  | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ₄<br>pcf | W<br>% | LL<br>% | PL<br>% | PI<br>% |
|                   |                          | 800-   |  |                       |                       |           |        |         |         |         |
| SS-10 X 10        | 00 8-8-16                |  | LOAM, stiff to very stiff, moist, gray, with occasional wet sand and sandy loam seams, A-4, Lab No. 5748SL | 4.0<br>>4.5           |                       |           | 9.5    |         |         |         |
| SS-11 10          | 00 13-19-19              | 40   |  | 2.0                   |                       |           | 10.5   |         |         |         |
| SS-12 \ 10        | 0 9-12-14                | - 790-<br>                                   | SAND, dense to medium dense, wet, gray (visual)  |                       |                       |           |        |         |         |         |
| SS-13 X 10        | 0 8-12-12                | 50 - 780                                     |  |                       |                       |           |        |         |         |         |
| SS-14 X 10        | 0 8-12-19                | -55 - 775                                    | SAND AND GRAVEL, medium dense to dense, wet, gray (visual)   |                       |                       |           |        |         |         |         |
| SS-15 85 12-15-24 | -60                      | LOAM, hard, moist, gray, A-4, Lab No. 5748SL | >4.5   |                       |                       | 8.9       |        |         |         |         |
| The stratific     | ation lines repr         | resent the                                   | End of Boring at 60 ft   |                       |                       |           |        |         |         |         |




| Project  | Monon Greenway over Carmel Drive         |
|----------|--|
| Location | Carmel, Indiana                          |
| Cliont   | United Consulting Engineers & Architecte |

Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214
317-273-1690 / 317-273-2250 (Fax)

| Boring No    | TB-4     |
|--------------|----------|
| Elevation    | 831.0    |
| Datum        | USC & GS |
| EEI Proj. No | 1-03-071 |
| Sheet 1      | of 2     |

| Proj. No. | STP-0399 () | Struct. No. | <br>  | Weather | Cloudy 70° F | Driller   | B.J. |
|-----------|-------------|-------------|-------|---------|--------------|-----------|------|
| Des. No.  | 0300059     | Station     | 56+90 | Offset  | 3' Rt. "B"   | Inspector |      |

| Des. No. 0300059       |                 | Station 56+90   | Offs   | et         | 3' Rt.                | 'B''                  | Inspect               | or     |    | •••          |  |  |  |  |  |
|------------------------|-----------------|---|--|------------|-----------------------|-----------------------|-----------------------|--------|----|--------------|--|--|--|--|--|
| SAMPL                  | E .             | DESCRIPTION/CLA   |  | NC         | S                     | OIL P                 | ROPE                  | RTI    | ES |              |  |  |  |  |  |
| No.   T   Rec   Blo    | 1               | and REMA  | RKS  |            | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% |    | PL PI<br>% % |  |  |  |  |  |
| SS-1 65 4-5            | -7              | ASPHALTIC CONCRETE<br>GRANULAR SUBBASE (c<br>SANDY LOAM with Some<br>dense, moist, brown (fill) | crushed stone; 3   | in)        |                       |                       |                       |        |    |              |  |  |  |  |  |
| SS-2 0 3-4             | -5              | SILTY CLAY, medium stiff<br>gray, A-7-6, Lab No. 5746   | SILTY CLAY, medium stiff, moist, brown and gray, A-7-6, Lab No. 5746SL |            |                       |                       |                       |        |    |              |  |  |  |  |  |
| SS-3 65 2-3            | -5 _ 825        | 7. <u>7.</u><br>  |  |            | 0.75                  | 1.02                  | 86.9                  | 34.5   |    |              |  |  |  |  |  |
| SS-4 × 100 3-5         | 7               | SANDY LOAM, loose, wet  | GRAVELLY SAND, medium dense, wet, brown (visual)                       |            |                       |                       |                       |        |    |              |  |  |  |  |  |
| 33-4   100   3-5       | 10              | GRAVELLY SAND, mediu  |  |            |                       |                       |                       |        | +  |              |  |  |  |  |  |
| SS-5 100 7-9-          | L J             |   | SANDY LOAM, medium dense, moist, brown                                 |            |                       |                       |                       |        |    |              |  |  |  |  |  |
| SS-6 X 100 6-7-        | 7               | to gray below 13½' (visual)   |  |            | 2.5                   |                       |                       | 9.8    | +  | -            |  |  |  |  |  |
|                        |                 | LOAM, stiff, moist, gray, A   | -4, Lab No. 5748   | BSL        | 2.0                   |                       |                       | 9.0    |    |              |  |  |  |  |  |
| SS-7 100 5-7-          | 20 -            | SAND AND GRAVEL, med gray (visual)  | ium dense, wet,  |            |                       |                       |                       | 18.2   |    |              |  |  |  |  |  |
| SS-8 X 100 4-5-        | 7 25 -          |   | LOAM, stiff to very stiff, moist, gray, with                           |            | 2.0                   |                       |                       | 11.4   |    |              |  |  |  |  |  |
|                        |                 | occasional sand seams, A  | -4, Lab No. 5748   | BSL _      | 4.75                  |                       |                       |        |    |              |  |  |  |  |  |
| SS-9   100   8-10-     | 30              | Continued Next Pa   | ae.  |            | 1.75<br>2.5           |                       |                       | 11.0   |    |              |  |  |  |  |  |
| WA                     | TER LE          | EL OBSERVATIONS   | go   |            | GEN                   | ERAL                  | NOT                   | ES     |    |              |  |  |  |  |  |
| Depth<br>ft            | ∑ While Drillin |   |  |            |                       |                       | )/10/03 F             |        |    |              |  |  |  |  |  |
| To Water<br>To Cave-in | 6               | 11<br>31  | 9½ R   |            | Groute                | d above               | the cave<br>Water in  | -in de |    | and          |  |  |  |  |  |
|                        | represent the a | approximate boundary between soil/roc   |  | 5' to redu |                       |                       |                       |        |    |              |  |  |  |  |  |




| Project | Monon Greenway over Carmel Drive         |
|---------|--|
| Locatio | n Carmel, Indiana                        |
| Client  | United Consulting Engineers & Architects |

| Boring No    | TB-4        |
|--------------|-------------|
| Elevation    | 831.0       |
| Datum        | USC & GS    |
| EEI Proj. No | o. 1-03-071 |
| Sheet 2      | of 2        |

|           |            | 7770 West New Y |       | napolis, Indiana 46214<br>-2250 (Fax) | Sheet        | 2 of      | 2    |
|-----------|------------|-----------------|-------|---------------------------------------|--------------|-----------|------|
| Proj. No. | STP-0399() | Struct. No.     | 800   | Weather                               | Cloudy 70° F | Driller   | B.I. |
| Des. No.  | 0300059    | Station         | 56+90 | Offset                                | 3' Rt. "B"   | Inspector |      |

|                     |              | SA       | MPLE                          |                  |      | DESCRIPTION/CLASSIFICATION  | SSIFICATION SOIL P    |                       |                       | γ <sub>d</sub> W LL PL P | OIL PROPERTIES |         |         |  |  |  |  |
|---------------------|--------------|----------|-------------------------------|------------------|------|---|-----------------------|-----------------------|-----------------------|--------------------------|----------------|---------|---------|--|--|--|--|
| No.                 | Type         | Rec<br>% | Blow<br>Counts                | Depth<br>ft Elev |      | and REMARKS   | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf |                          | LL<br>%        | PL<br>% | PI<br>% |  |  |  |  |
|                     |              |          |                               | - 800-           |      |   |                       |                       |                       |                          |                |         |         |  |  |  |  |
| SS-10               | M            | 100      | 5-6-7                         | 35 - 795-        |      | LOAM, stiff to very stiff, moist, gray, with occasional sand seams, A-4, Lab No. 5748SL | 1.5<br>1.0            |                       |                       | 10.0                     |                |         |         |  |  |  |  |
|                     | M            |          |                               |                  |      |   |                       |                       |                       |                          |                |         |         |  |  |  |  |
| SS-11               | Ň.           | 100      | 7-10-10                       | 40 - 790-        |      | SAND, medium dense, wet, gray (visual)  |                       |                       |                       |                          |                |         |         |  |  |  |  |
| SS-12               | X            | 65       | 8-10-11                       |                  |      |   |                       |                       |                       |                          |                |         |         |  |  |  |  |
|                     |              |          |                               | 40               |      | End of Boring at 45 ft  |                       |                       |                       |                          |                |         |         |  |  |  |  |
|                     |              |          |                               |                  |      | ·   |                       |                       |                       |                          |                |         |         |  |  |  |  |
|                     |              |          |                               |                  |      |   |                       |                       |                       |                          |                |         |         |  |  |  |  |
|                     |              |          |                               |                  |      |   |                       |                       |                       |                          |                |         |         |  |  |  |  |
|                     |              |          |                               |                  |      |   |                       |                       |                       |                          |                |         |         |  |  |  |  |
|                     |              |          |                               |                  |      |   |                       |                       |                       |                          |                |         |         |  |  |  |  |
| The str<br>the tran | atif<br>rsit | icatio   | on lines repr<br>nay be gradi | esent the        | appr | oximate boundary between soil/rock types and  |                       |                       |                       |                          |                |         |         |  |  |  |  |




Project Monon Greenway over Carmel Drive
Location Carmel, Indiana
Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214
317-273-1690 / 317-273-2250 (Fax)

| Boring No    | RW-1     |
|--------------|----------|
| Elevation    | 830.0    |
| Datum        | USC & GS |
| EEI Proj. No | 1-03-071 |
| Sheet1       | of1      |

| Proj. No. | STP-0399 () | Struct. No. |       | Weather | Cloudy 65° F | Driller  | B.J. |
|-----------|-------------|-------------|-------|---------|--------------|----------|------|
| Des. No.  | 0300059     | Station     | 51+84 | Offset  | 3' Rt. "B"   | Inspecto | or   |

|      |                         | SA       | MPLE           |                  | DESCRIPTION/CLASSIFICATION  | S                     | OIL P                 | ROPE                  | RTI    |         |           |         |  |  |  |  |
|------|-------------------------|----------|----------------|------------------|---|-----------------------|-----------------------|-----------------------|--------|---------|-----------|---------|--|--|--|--|
| No.  | Type                    | Rec<br>% | Blow<br>Counts | Depth<br>ft Elev | and REMARKS   | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% | PL<br>%   | PI<br>% |  |  |  |  |
|      |                         |          |                | -                | ASPHALTIC CONCRETE (3 in)   |                       |                       | ļ .                   |        |         |           |         |  |  |  |  |
| 00.4 | V                       | 05       | 2010           | † -              | GRANULAR SUBBASE (crushed stone; 3 in)  |                       | <del> </del>          |                       |        |         |           |         |  |  |  |  |
| SS-1 | $\mathbb{N}$            | 65       | 8-9-10         | -                | SANDY LOAM with Some Gravel, medium dense, moist, brown, (fill), A-2-4, Lab No. | >4.5                  |                       |                       | 18.2   |         |           |         |  |  |  |  |
|      |                         |          |                | -                | \defise, moist, blown, (iii), A-2-4, Lab No.                                    |                       |                       |                       |        |         |           |         |  |  |  |  |
| SS-2 | M                       | 50       | 6-7-7          |                  | SILTY CLAY LOAM, stiff, moist, gray,  |                       |                       |                       |        |         |           |         |  |  |  |  |
| 33-2 | A                       | 50       | 0-1-1          | 5 825            | (possible fill), A-6, Lab No. 5744SL  | >4.5                  |                       |                       | 16.1   |         |           |         |  |  |  |  |
| SS-3 | $\mathbb{R}$            | 85       | 3-5-5          | -                | SILTY CLAY, medium stiff, moist, gray and                                       | 2.0                   |                       |                       |        |         |           |         |  |  |  |  |
|      | A                       | 00       | 3-5-5          | -                | brown, A-7-6, Lab No. 5746SL  | 1.75                  |                       |                       | 24.3   |         |           |         |  |  |  |  |
|      | $\downarrow \downarrow$ |          |                | $\Gamma$         | <del>{</del> []   | 4.05                  |                       |                       |        |         | _         |         |  |  |  |  |
| SS-4 | X                       | 100      | 3-4-4          |                  | SILTY CLAY LOAM, medium stiff, moist, gray                                      | 1.25<br>0.75          |                       |                       | 26.4   |         |           |         |  |  |  |  |
|      | Ħ                       |          |                | 10 820           | and brown, A-6, Lab No. 5744SL  | 0.70                  |                       |                       |        |         |           |         |  |  |  |  |
| SS-5 | M                       | 100      | 3-6-8          | <u> </u>         | SAND, loose, wet, brown (visual)  |                       |                       |                       |        |         | $\exists$ |         |  |  |  |  |
|      | Μ                       | 100      | 3-0-0          | <u> </u>         |   | 1.5                   |                       |                       | 10.0   |         |           |         |  |  |  |  |
|      |                         |          |                | <u>v</u>         | LOAM, stiff, moist, gray, A-4, Lab No. 5748SL                                   |                       |                       |                       |        |         |           |         |  |  |  |  |
| SS-6 | M                       | 100      | 4-6-7          | T = 1            |   | 2.25                  |                       |                       |        |         | $\dashv$  |         |  |  |  |  |
|      | Λ                       |          | 4-0-7          | 15 815           |   | 2.0                   |                       |                       | 11.9   |         | _         |         |  |  |  |  |
|      |                         |          |                |                  | End of Boring at 15 ft  |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       | 1.                    |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          |                |                  |   |                       |                       |                       |        |         |           |         |  |  |  |  |
|      |                         |          | WATE           | RLE              | EL OBSERVATIONS   | GEN                   | ERAL                  | NOT                   | ES     |         |           | -       |  |  |  |  |

| 44//   | I had a had a desired a | GENERAL NOTES        |  |   |  |  |  |
|--|-------------------------|----------------------|--|---|--|--|--|
| Depth<br>ft                                      | ∑ While<br>Drilling     | ▼ Upon<br>Completion |  | Start 10/10/03 End 10/10/03 Rig CME 75 Drilling Method 31/4" I.D. HSA Truck |  |  |  |
| To Water   | 11                      | 13½                  |  | Remarks Grouted above the cave-in depth and                                 |  |  |  |
| To Cave-in                                       |                         | 14                   |  | concrete patch at surface.  |  |  |  |
| The stratification lines the transition may be o | represent the approxima |                      |  |   |  |  |  |



To Water

To Cave-in

The stratification lines represent the approximate boundary between soil/rock types and the transition may be gradual.

10

141/2

#### LOG OF TEST BORING

Project Monon Greenway over Carmel Drive
Location Carmel, Indiana
Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214

Boring No. RW-2

Elevation 831.0

Datum USC & GS

EEI Proj. No. 1-03-071

Sheet 1 of 1

317-273-1690 / 317-273-2250 (Fax)

Proj. No. STP-0399 () Struct. No. --- Weather Cloudy 65° F Driller B.J.

Des No. 0300059 Station F3184 Office A Company Com


| SAMPLE |            |                | <b>DESCRIPTION/CLASSIFICATION</b> |          | SOIL PROPERTIES   |        |         |                       |                       |        |         |    |   |
|--------|------------|----------------|-----------------------------------|----------|---|--------|---------|-----------------------|-----------------------|--------|---------|----|---|
| No.    | Rec<br>%   | Blow<br>Counts | Depth<br>ft Elev                  |          | and REMARKS   |        | p<br>Sf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% | PL |   |
| SS-1   | 65         | 8-10-8         | 830-                              | *        | ASPHALTIC CONCRETE (3 in) GRANULAR SUBBASE (crushed stone; 3 in) SANDY LOAM with Some Gravel, medium dense, moist, black to brown, (fill), A-2-4, Lab |        |         |                       |                       |        |         |    |   |
| S-2 X  | 85         | 6-7-8          | 5                                 | -        | \No. 5747SL SILTY CLAY LOAM, stiff, moist, dark gray and brown, (fill), A-6, Lab No. 5744SL   |        |         |                       |                       | 14.2   |         |    | _ |
| SS-3 X | 100        | 4-5-5          | 825-                              |          | SILTY CLAY LOAM, medium stiff to very soft, moist to very moist, brown and gray, with   | 2.     |         | 1.55                  | 101.7                 | 24.1   |         |    | - |
| S-4 X  | 100        | 2-1-2          | 10 💆                              |          | occasional silt partings, A-6(11), Lab No. 5744SL   | 0.     | 5       |                       |                       | 27.3   | 31      | 16 |   |
| S-5 X  | 100        | 6-8-10         | 820                               | <u>Ш</u> | SAND, medium dense, wet, brown (visual)   |        |         |                       |                       |        |         |    |   |
| S-6 X  | 65         | 4-6-10         |                                   |          |   | 3.     |         |                       |                       | 10.4   |         |    | - |
| /\     |            |                | - 15 -<br>- 815-                  |          | LOAM, very stiff to stiff, moist, gray, A-4, Lab<br>No. 5748SL  | 3.7    | 5       |                       |                       | 9.3    |         |    |   |
| S-7 X  | 100        | 4-6-6          |                                   |          |   |        |         |                       |                       |        |         |    |   |
|        |            |                | 810                               |          | SAND, medium dense, wet, gray (visual)  |        |         |                       |                       |        |         |    |   |
| S-8    | 100        | 7-7-8          | -25                               |          | <b>LOAM</b> , very stiff to stiff, moist, gray, A-4, Lab No. 5748SL   | 2.7    |         |                       |                       | 11.9   |         |    | _ |
|        |            |                |                                   |          | End of Boring at 25 ft  |        |         |                       |                       |        |         |    |   |
|        |            | WATE           | RLE                               | VΕ       | L OBSERVATIONS  | G      | =N      | FRAI                  | . NOT                 | FS     |         |    | _ |
| D      | epth<br>ft | Ž              |                                   | 9        | ▼ Unon □ OAba-  | 10/10/ | 03      | End .10               | )/10/03               | Rig .  |         |    |   |

10

12

Remarks Grouted above the cave-in depth and

concrete patch at surface.



Project Monon Greenway over Carmel Drive
Location Carmel, Indiana
Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214


| Boring No    | RW-3     |
|--------------|----------|
| Elevation    | 831.0    |
| Datum        | USC & GS |
| EEI Proj. No | 1-03-071 |
| Sheet1       | of2      |

 317-273-1690 / 317-273-2250 (Fax)

 Proj. No.
 STP-0399 ()
 Struct. No.
 -- Weather
 Cloudy 65° F
 Driller
 B.J.

 Des. No.
 0300059
 Station
 53+78
 Offset
 3' Rt. "B"
 Inspector
 --

| Des. No. 0300059 |              |          |                | Station         | 53+78     | Of           | fset                                 | 3' Rt.  | B             | Inspect    | or                    | -                     |                       |          |         |          |        |
|------------------|--------------|----------|----------------|-----------------|-----------|--------------|--------------------------------------|---|---------------|------------|-----------------------|-----------------------|-----------------------|----------|---------|----------|--------|
| SAMPLE           |              |          |                | DESCRIPTIO      |           |              | ON                                   | S   | OIL P         | ROPE       | RT                    | IES                   | 3                     |          |         |          |        |
| No.              | Type         | Rec<br>% | Blow<br>Counts | Depti<br>ft E   |           |              | and                                  | REMARK  | (S            |            | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>%   | LL<br>% | PL<br>%  |        |
|                  | Ĭ            |          |                | -               | -0        | 0            |                                      | NCRETE (3 ir  | 1)            |            |                       |                       | 1                     | +        |         |          | -      |
|                  | M            |          |                | - 8             | 30        | TH           | GRANULAR SUE                         | BBASE (9 in)  |               |            |                       |                       |                       | -        |         |          | -      |
| SS-1             | M            | 65       | 6-7-7          | -               | +         | $\mathbb{H}$ |                                      | SANDY LOAM with Some Gravel medium dense, moist, black to brown, (fill), A-2-4, Lab |               |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | -               | 7         |              | No. 5747SL                           | ick to brown,   | (IIII), A-2-4 | , Lab      |                       |                       |                       | <u> </u> |         |          |        |
| SS-2             | M            | 85       | 6-6-5          | _               | 1         |              | LOAM, stiff, mois                    | t, gray to dar  | k gray and    |            | 3.25                  |                       | <u> </u>              | 1        | -       |          |        |
| 33-2             | M            |          | 6-6-3          | 5               | 1         |              | brown, (fill), A-6(                  | 3), Lab No. 5   | 745SL         |            | 3.0                   |                       |                       | 19.2     |         |          |        |
|                  |              |          |                | -               | 25-       |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
| SS-3             | M            | 100      | 3-2-2          | $\nabla$        | 25        | $\mathbb{H}$ |                                      |   |               |            | 1.25                  |                       |                       | 20.4     | 28      | 15       | 13     |
|                  | 4            |          |                | -               | 7         |              |                                      | SANDY LOAM, very loose, very moist, brown   |               |            |                       | -                     |                       |          |         |          |        |
|                  |              |          | -              | ‡               | 1         |              | (visual)                             |   |               |            |                       |                       |                       |          |         |          |        |
| SS-4             | XI           | 100      | 2-2-3          | -               | $\nabla$  | # /          | SILTY CLAY LOA                       | AM, soft, very  | moist, brow   | wn         | 1.0<br>0.25           |                       |                       | 29.0     |         |          |        |
|                  | 7            |          |                | 10              | -         | #/           | and gray, with int<br>Lab No. 5744SL | ermittent silt  | partings, A   | -6,        | 0.25                  |                       | -                     |          |         |          |        |
|                  | $\forall$    |          |                |                 | 20-       | #/           | Lab 140. 07 440L                     |   |               |            |                       |                       |                       |          |         |          |        |
| SS-5             | $\mathbb{X}$ | 100      | 4-7-7          | -               | -         |              |                                      |   |               |            | 2.5                   |                       |                       | 12.2     |         |          |        |
|                  |              |          |                | Ŧ               | -         |              | LOAM, stiff, mois                    | t, gray, A-4, L   | .ab No. 574   | 48SL       |                       |                       |                       |          |         | $\dashv$ |        |
| SS-6             | V            | 100      | F 10 11        | ‡               | #         | Ш            |                                      |   |               |            | >4.5                  |                       |                       | 9.3      |         |          |        |
| 33-6             | 1            | 100      | 5-10-11        | 15              | 3         |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | -               | 15-       |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | -               |           |              | SAND, medium d                       | ense, wet, gr   | ay (visual)   |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | -               | 7         |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  | +            |          |                | F               | 7         | П            |                                      |   |               |            | - 0.0                 |                       |                       |          |         |          |        |
| SS-7             | XI           | 100      | 5-8-4          | -               | 4         |              |                                      |   |               |            | 2.0<br>>4.5           |                       |                       | 11.2     |         |          |        |
|                  | 1            |          |                | 20              | -         |              |                                      |   |               |            | 1.0                   |                       |                       |          |         | -        | -      |
|                  |              |          |                | - 81            | 10-       |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | -               | $\exists$ |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | -               | 4         |              | LOAM, very stiff to                  | o medium stif   | ff moist ar   | av         |                       |                       |                       |          |         |          |        |
| SS-8             | $\sqrt{}$    | 100      | 3-4-6          | -               | 4         |              | A-4, Lab No. 574                     |   | i, moiot, gi  | ay,        | 2.5                   |                       |                       |          |         | +        | $\neg$ |
| 10-0             | 1            | 100      | J-4-0          | -<br>-25        | 1         |              |                                      |   |               |            | 2.75                  |                       |                       | 11.4     |         |          |        |
|                  |              |          |                | - 80            | 15        |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | -               |           | Ш            |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  |              |          |                | F               | 71        |              |                                      |   |               |            |                       |                       |                       |          |         |          |        |
|                  | +            |          |                | -               | #         | Щ            | ODAVELLY OCCU                        |   |               |            |                       |                       |                       |          |         |          |        |
| SS-9             | $\langle  $  | 85       | 7-9-10         | -               | 1         | d            | GRAVELLY SANI (visual)               | , medium de   | nse, wet, g   | ray        |                       |                       |                       |          |         |          |        |
|                  | 1            |          | 10/6 ===       | -30             | 1         |              | Continu                              | ed Next Page  |               |            |                       |                       |                       |          | _       |          |        |
|                  |              |          | WATE           | R L             | E         | Έ            | L OBSERVAT                           | TIONS   |               |            | GEN                   | <b>ERAL</b>           | NOT                   | ES       |         |          |        |
| [                |              | epth     | 7              |                 | hile      |              | ▼ Upon                               | <b>∑</b> 24   |               | Start 1    | 0/10/03               | End 1                 | 0/10/03 [             | Ria C    | :MF     | 75       |        |
|                  |              | ft       |                | Dr              | illing    | 3            | Completion                           | After D   |               | Drilling N |                       |                       |                       |          | ruc     |          |        |
|                  |              | /Vate    |                |                 | 7         |              | 11                                   | 91  | /2            | Remarks    |                       |                       |                       |          |         |          | d      |
|                  |              | Cave     |                |                 | h a .     |              | 28½                                  | 1   |               | concrete   | patch at              | surface.              |                       |          |         |          |        |
| the tran         | nsit         | tion m   | ay be grad     | esent t<br>ual. | ne a      | ppro         | oximate boundary betwe               | een soll/rock type  | es and        |            |                       |                       |                       |          |         |          |        |




| Project  | Monon Greenway over Carmel Drive         |
|----------|--|
| Location | Carmel, Indiana                          |
| Client   | United Consulting Engineers & Architects |

7770 West New York Street - Indianapolis, Indiana 46214 317-273-1690 / 317-273-2250 (Fax)

| Boring No. RW-3        |
|------------------------|
| Elevation 831.0        |
| Datum USC & GS         |
| EEI Proj. No. 1-03-071 |
| Sheet 2 of 2           |

| Proi. No. | STP-0399() | Struct, No. |       | Weather   | Cloudy 65° F | Driller   | B I  |
|-----------|------------|-------------|-------|-----------|--------------|-----------|------|
| ·         |            |             |       | VVCatrici | Cloudy of I  | Dillici   | D.U. |
| Des. No.  | 0300059    | Station     | 53+78 | Offcat    | 2' D4 "D"    | Inchacta  | r    |
| DC0. 140. | 000000     | Otation     | 33T10 | Oliset    | 3 KL D       | IIISDECIO |      |

|         |      | SAI      | MPLE           |                  |      | DESCRIPTION/CLASSIFICATION                                   | S                     | OIL P                 | ROPE                  | RTI    | ES      | 3       |         |
|---------|------|----------|----------------|------------------|------|--|-----------------------|-----------------------|-----------------------|--------|---------|---------|---------|
| No.     | Type | Rec<br>% | Blow<br>Counts | Depth<br>ft Elev |      | and REMARKS  | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% | PL<br>% | PI<br>% |
|         |      |          |                | - 800-           | 0    | GRAVELLY SAND, medium dense, wet, gray (visual)              |                       |                       |                       |        |         |         |         |
| SS-10   | M    | 65       | 4-4-6          | 35               |      | <b>LOAM</b> , medium stiff, moist, gray, A-4, Lab No. 5748SL | 1.25<br>1.5           |                       |                       | 10.7   |         |         |         |
|         |      |          |                |                  |      | End of Boring at 35 ft                                       |                       |                       |                       |        |         |         |         |
|         |      |          |                |                  |      |  |                       |                       |                       |        |         |         |         |
|         |      |          |                |                  |      |  |                       |                       |                       |        |         |         |         |
|         |      |          |                |                  |      |  |                       |                       |                       |        |         |         |         |
|         |      |          |                |                  |      |  |                       |                       |                       |        |         |         |         |
|         |      |          |                |                  |      |  |                       |                       |                       |        |         |         |         |
|         |      |          |                |                  |      |  |                       |                       |                       |        |         |         |         |
| The str | ati  | ficatio  | n lines repr   | resent the       | appr | roximate boundary between soil/rock types and                |                       |                       |                       |        |         |         | -       |



Project Monon Greenway over Carmel Drive
Location Carmel, Indiana
Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214


| Boring No    | RW-4     |
|--------------|----------|
| Elevation    | 831.0    |
| Datum        | USC & GS |
| EEI Proj. No | 1-03-071 |
| Sheet 1      | of2      |

317-273-1690 / 317-273-2250 (Fax)

Proj. No. STP-0399 () Struct. No. --- Weather Sunny 75° F Driller B.J.

Des. No. 0300059 Station 57+90 Offset 3' Rt, "B" Inspector ---

| Des. No.            | 0300059          | Station   | 57+90                                    | Offset                   | 3' Rt.  | B                     | Inspecto              | or     |         | -       |         |
|---------------------|------------------|---|--|--------------------------|---|-----------------------|-----------------------|--------|---------|---------|---------|
| SAMPL               | .E               | DESCRIPTIO  |  |                          | S   | OIL P                 | ROPE                  | RTI    | ES      | 3       |         |
| No.   T   Rec   Blo | 1                | and   | REMARKS                                  | 5                        | q <sub>p</sub><br>tsf                         | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% | PL<br>% | PI<br>% |
| Ĭ                   | 830              | ASPHALTIC CO  |  |                          |   |                       |                       |        |         |         |         |
| SS-1 85 8-9-        |                  | SANDY LOAM w<br>dense, moist, bro                   | ith Some Grave                           |                          |   |                       |                       |        |         |         |         |
| SS-2 35 11-4        | 5                | SILTY CLAY LO. gray, with trace of SS-2 LOI = 5.4%  | organic matter,                          | (fill)                   | 2.5   |                       |                       | 21.0   |         |         |         |
| SS-3 85 3-3         | 3 825            | SILTY CLAY, me<br>gray, A-7-6(30),                  | edium stiff, mois                        | t, brown and             | 1.0   |                       |                       | 30.5   | 48      | 18      | 30      |
| SS-4 100 2-3        | 10               | SILTY CLAY LO                                       |  |                          | 1.0<br>1.25                                   | 0.81                  | 98.7                  | 26.4   |         |         |         |
| SS-5   100 5-8-     | 9 💆 💆            | SANDY LOAM, m                                       | nedium dense, v                          | vet, brown               |   |                       |                       |        |         |         |         |
| SS-6 100 4-4-       | 5 - 15 -         |   |  |                          | 0.5   |                       |                       | 11.9   |         |         |         |
| SS-7 X 100 4-6-     | 815-             | <b>LOAM</b> , medium s<br>wet sand seam n<br>5748SL | stiff to stiff, mois<br>ear 33½', A-4, I | t, gray, with<br>.ab No. | 2.0   |                       |                       | 10.1   |         |         |         |
| SS-8 V 100 4-6-     | 7 25 - 805-      | OTHOOL  |  |                          | 3.0   |                       |                       | 13.1   |         |         |         |
| SS-9 100 5-6-       | 30               | Continu   | ued Next Page                            |                          | 3.5<br>2.25                                   |                       |                       | 10.1   |         |         |         |
|                     | 107.10.100       | EL OBSERVA  | TIONS                                    |                          | GEN   | ERAL                  | . NOTE                | ES     |         |         |         |
| Depthft             | ✓ While Drilling |   | BF_                                      | Drilling Remar           | 10/13/03<br>Method<br>ks Groute<br>e patch at | 3¼" I<br>ed above     | .D. HSA<br>the cave   | T      | ruck    | Ç       |         |



| Project   | Monon Greenway over Carmel Drive         |
|-----------|--|
| Location. | Carmel, Indiana                          |
| Client    | United Consulting Engineers & Architecte |


Client United Consulting Engineers & Architects
7770 West New York Street - Indianapolis, Indiana 46214
317-273-1690 / 317-273-2250 (Fax)

| Boring N               | 10 | RW-     | 4  |  |  |  |  |  |  |
|------------------------|----|---------|----|--|--|--|--|--|--|
| Elevatio               | n  | 831.0   |    |  |  |  |  |  |  |
| Datum                  |    | USC & C | SS |  |  |  |  |  |  |
| EEI Proj. No. 1-03-071 |    |         |    |  |  |  |  |  |  |
| Sheet                  | 2  | of      | 2  |  |  |  |  |  |  |

| Proj. No. | STP-0399() | Struct. No. |       | Weather | Sunny 75° F | Driller   | B.J. |
|-----------|------------|-------------|-------|---------|-------------|-----------|------|
| Des. No.  | 0300059    | Station     | 57+90 | Offset  | 3' Rt. "B"  | Inspector |      |

|                             |                | Oldfor 37130 Ollset   | 3 KL                  |                       | mspector         |        |             |  |
|-----------------------------|----------------|---|-----------------------|-----------------------|------------------|--------|-------------|--|
| SAMPLE                      |                | DESCRIPTION/CLASSIFICATION  |                       | SOIL PROPERTIES       |                  |        |             |  |
| No.   T   Rec   Blow   Coun |                | and REMARKS   | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub> V | V LL P | L PI<br>6 % |  |
| SS-10 X 85 3-4-4            | - 800-<br>     | LOAM, medium stiff to stiff, moist, gray, with wet sand seam near 33½', A-4, Lab No. 5748SL | 1.5                   |                       | 8.               | 9      |             |  |
| /\                          | 35             | End of Boring at 35 ft  | 1.0                   |                       | 0.               | 9      | +           |  |
| The stratification lines r  | enresent the a | End of Boring at 35 ft  |                       |                       |                  |        |             |  |

The stratification lines represent the approximate boundary between soil/rock types and the transition may be gradual.



To Water

To Cave-in

91/2

The stratification lines represent the approximate boundary between soil/rock types and the transition may be gradual.

### LOG OF TEST BORING

Project Monon Greenway over Carmel Drive
Location Carmel, Indiana
Client United Consulting Engineers & Architects

7770 West New York Street - Indianapolis, Indiana 46214

Boring No. RW-5
Elevation 831.0
Datum USC & GS
EEI Proj. No. 1-03-071
Sheet 1 of 1

317-273-1690 / 317-273-2250 (Fax)

Proj. No. STP-0399 () Struct. No. --- Weather Sunny 75° F Driller

Des. No. 0300059 Station 58+81 Offset 3' Rt, "B" Inspector

|      |      | SAI      | MPLE            |              |       |             | DESCRIPTION/CLASSIFICATION   | S                     | OIL PI                | ROPE                  | RT     | ES      | 3       |   |
|------|------|----------|-----------------|--------------|-------|-------------|--|-----------------------|-----------------------|-----------------------|--------|---------|---------|---|
| No.  | Type | Rec<br>% | Blow<br>Counts  | Dept<br>ft E |       |             | and REMARKS  | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% | PL<br>% |   |
|      |      |          |                 | -            | -6    | 0           | ASPHALTIC CONCRETE (3 in)  |                       |                       |                       |        |         |         |   |
| SS-1 | M    | 85       | 7-9-7           | + '          | 330   |             | GRANULAR SUBBASE (crushed stone; 9 in)   |                       |                       |                       | 6.6    | 20      | 15      | 5 |
| SS-2 | M    | 55       | 4-5-5           | 5            |       |             | SANDY LOAM with Some Gravel, medium dense to loose, moist, brown and dark gray, A-2-4(0), Lab No. 5747SL |                       |                       |                       |        |         |         |   |
| SS-3 | M    | 100      | 3-3-3           | - 8          | 325   | #<br>#<br># | SILTY CLAY, medium stiff, moist, brown and gray, A-7-6, Lab No. 5746SL                                   | 0.5                   |                       |                       | 30.1   |         |         |   |
| SS-4 | M    | 85       | 3-4-5           | ļ<br>V       | 1     |             | LOAM, medium stiff, very moist, brown, A-6,<br>Lab No. 5745SL  | 0.5                   |                       |                       | 25.6   |         |         |   |
|      | H    |          |                 | 10           | -     |             | SANDY LOAM, loose, wet, brown (visual)   |                       |                       |                       |        |         |         |   |
| SS-5 | M    | 55       | 3-4-5           | <u> </u>     | 20-   |             |  | 1.25<br>2.5           |                       |                       | 11.2   |         |         |   |
| SS-6 | X    | 100      | 5-6-7           | 15           | 15    |             |  | 2.25<br>3.25          |                       |                       | 8.3    |         |         |   |
| SS-7 | X    | 100      | 5-5-7           |              | 10-   |             | LOAM, medium stiff to very stiff, moist, gray, A-4, Lab No. 5748SL                                       | 2.0<br>1.75           |                       |                       | 10.7   |         |         |   |
| SS-8 | X    | 100      | 5-8-8           | -25          |       |             |  | 3.25<br>2.5           |                       |                       | 10.3   |         |         |   |
|      |      |          |                 |              |       |             | End of Boring at 25 ft   |                       |                       |                       |        |         |         |   |
|      |      |          | \ <b>\</b> ∕∧⊤⊏ | D I          | E/    |             | L OBSERVATIONS   | CEN                   | EDAL                  | NOT                   | EC     |         |         |   |
|      |      | epth     | AAVIE           |              | /hile |             | ¥ Upon ♀ Start 10  | GEN                   | ERAL                  | NUI                   | ES     |         |         |   |

After Drilling

BF

Drilling Method 31/4" I.D. HSA Truck

Remarks Grouted above the cave-in depth and

concrete patch at surface.

Completion

111/2

12



STP-0399()

0300059

Proj. No.

Des. No.

### LOG OF TEST BORING

Project Monon Greenway over Carmel Drive Location Carmel, Indiana Client United Consulting Engineers & Architects

Struct. No. ---

59+90

Offset

Boring No. RW-6 Elevation 831.0 Datum USC & GS EEI Proj. No. 1-03-071 Sheet \_\_\_\_1 \_\_\_ of \_\_\_\_1

7770 West New York Street - Indianapolis, Indiana 46214 317-273-1690 / 317-273-2250 (Fax)

Station

Weather Sunny 75° F Driller 3' Rt. "B" Inspector

|   | _            |          | MPLE           |                  | DESCRIPTION/CLASSIFICATION   | S                     | OIL P                 | ROPE                  | RTI    | ES      | 3       |         |
|---|--------------|----------|----------------|------------------|--|-----------------------|-----------------------|-----------------------|--------|---------|---------|---------|
| No.                                     | HYDE         | Rec<br>% | Blow<br>Counts | Depth<br>ft Elev | and REMARKS  | q <sub>p</sub><br>tsf | q <sub>u</sub><br>tsf | γ <sub>d</sub><br>pcf | W<br>% | LL<br>% | PL<br>% | PI<br>% |
|   |              |          |                | -                | ASPHALTIC CONCRETE (3 in)  |                       |                       |                       |        |         |         |         |
|   | $\mathbf{I}$ |          |                | 830-             | GRANULAR SUBBASE (crushed stone; 9 in)   |                       |                       |                       | -      |         |         |         |
| SS-1                                    | IXI          | 55       | 8-8-4          | _                | SANDY LOAM with Some Gravel, medium  | 1.25                  |                       |                       | 32.6   |         |         |         |
| *************************************** | H            |          |                | + .              | /   \dense, moist, brown, (fill), A-2-4, Lab No. /   | 1.20                  |                       |                       | 32.0   |         | -       |         |
|   |              |          |                | Ι :              | 1 5747SL   |                       |                       |                       |        |         |         |         |
| SS-2                                    | M            | 55       | 3-4-4          | F -              | SILTY CLAY LOAM, medium stiff, moist, dark   | 0.5                   |                       |                       | 41.0   |         |         |         |
|   | N            |          |                | 5 -              | \ \text{gray, A-6, Lab No. 5744SL} \ \text{SILTY LOAM, medium stiff, moist, black, with} \ | 1.25                  |                       |                       | 41.0   |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   | M            |          |                | 825              | visual)  | 1.75                  |                       |                       |        |         |         |         |
| SS-3                                    | M            | 65       | 3-3-3          | -                | SILTY CLAY LOAM, medium stiff, moist, dark   | 1.0                   |                       |                       | 27.4   |         |         |         |
|   | Ħ            |          |                | <u> </u>         | gray and gray, A-6, Lab No. 5744SL   |                       |                       |                       |        |         |         |         |
|   | $\bigcup$    |          |                |                  | SILTY CLAY, medium stiff, moist, brown and   |                       |                       |                       |        |         |         |         |
| SS-4                                    | M            | 85       | 5-6-7          | <u> </u>         | gray, A-7-6, Lab No. 5746SL  | >4.5                  |                       |                       | 14.1   |         |         |         |
|   | M            |          |                | 10 -             |  |                       |                       |                       | 1-7.1  |         |         |         |
|   |              |          |                |                  | LOAM, stiff to very stiff, moist, brown, with  |                       |                       |                       |        |         |         |         |
| 00.5                                    | M            | 400      |                | 820-             | sandy loam seam near 9½', A-4, Lab No.   |                       |                       |                       |        |         |         |         |
| SS-5                                    | M            | 100      | 5-8-8          | _ <b>Y</b> _     | 5748SL   | >4.5                  |                       |                       | 13.1   |         |         |         |
|   | П            |          |                | t i              |  |                       |                       |                       |        |         |         |         |
|   | H            |          |                | -                |  |                       |                       |                       |        |         |         |         |
| SS-6                                    | X            | 100      | 6-7-8          |                  | SAND, medium dense, wet, gray (visual)   | 4.25                  |                       |                       | 11.1   |         |         |         |
|   | 1            |          |                | 15 -             | SAND, medium dense, wet, gray (visual)   |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  | End of Boring at 15 ft   |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   | П            |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        | l       |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  | · ·  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          |                |                  |  |                       |                       |                       |        |         |         |         |
|   |              |          | WATE           | RLE              | /EL OBSERVATIONS   | GEN                   | <b>IERAL</b>          | . NOT                 | ES     |         |         |         |

**GENERAL NOTES** Depth While Upon Start 10/13/03 End 10/13/03 Rig CME 75 ft Drilling Completion After Drilling Drilling Method 31/4" I.D. HSA Truck 12 To Water BF Remarks. Grouted above the cave depth and To Cave-in 131/2 concrete patch at surface. The stratification lines represent the approximate boundary between soil/rock types and the transition may be gradual.

### **APPENDIX E**

Summary of Special Laboratory Test Results

Summary of Classification Test Results

Grain Size Distribution Curve (5)

Unconfined Compression Test (4)

# SUMMARY OF SPECIAL LABORATORY TEST RESULTS

Project No.:

STP-0399()

Structure No.:

---

Des. No.:

0300059

**Project:** 

Monon Greenway over Carmel Drive

Location:

Carmel, Indiana

Client:

United Consulting Engineers & Architects

**EEI Project No.:** 

1-03-071

EXPLORATION &

| Р | age | 1 | ot | 2 |
|---|-----|---|----|---|
|   |     |   |    |   |

| Laboratory<br>Number | Test<br>Boring No. | Sample<br>Number | Sample<br>Depth<br>Interval, ft | Moisture<br>Content, % | LOI | рН  |
|----------------------|--------------------|------------------|---------------------------------|------------------------|-----|-----|
| 5753SL               | TB-1               | SS-2             | 3.5-5                           | 21.4                   |     |     |
| 5753SL               | TB-1               | SS-3             | 6-7.5                           | 17.4                   |     |     |
| 5753SL               | TB-1               | SS-7             | 18.5-20                         | 14.2                   |     |     |
| 5753SL               | TB-1               | SS-8             | 23.5-25                         | 11.9                   |     |     |
| 5748SL               | TB-1               | SS-8             | 23.5-25                         |                        |     | 6.7 |
| 5753SL               | TB-1               | SS-9             | 28.5-30                         | 13.6                   |     |     |
| 5753SL               | TB-1               | SS-10            | 33.5-35                         | 10.6                   |     |     |
| 5753SL               | TB-2               | SS-2             | 3.5-5                           | 44.5                   | 8.8 |     |
| 5753SL               | TB-2               | SS-3             | 6-7.5                           | 24.4                   |     |     |
| 5753SL               | TB-2               | SS-4             | 8.5-10                          | 24.3                   |     |     |
| 5753SL               | TB-2               | SS-6             | 18.5-20                         | 11.1                   |     |     |
| 5753SL               | TB-2               | SS-7             | 23.5-25                         | 10.7                   |     |     |
| 5753SL               | TB-2               | SS-14            | 58.5-60                         | 7.2                    |     |     |
| 5753SL               | TB-3               | SS-2             | 3.5-5                           | 24.7                   |     |     |
| 5753SL               | TB-3               | SS-3             | 6-7.5                           | 20.4                   |     |     |
| 5753SL               | TB-3               | SS-5             | 11-12.5                         | 11.1                   |     |     |
| 5753SL               | TB-3               | SS-7             | 18.5-20                         | 13.6                   |     |     |
| 5753SL               | TB-3               | SS-8             | 23.5-25                         | 9.9                    |     |     |
| 5753SL               | TB-3               | SS-9             | 28.5-30                         | 10.1                   |     |     |
| 5753SL               | TB-3               | SS-10            | 33.5-35                         | 9.5                    |     |     |
| 5753SL               | TB-3               | SS-11            | 38.5-40                         | 10.5                   |     |     |
| 5753SL               | TB-3               | SS-15            | 58.5-60                         | 8.9                    |     |     |
| 5753SL               | TB-4               | SS-3             | 6-7.5                           | 19.6                   |     |     |
| 5753SL               | TB-4               | SS-6             | 13.5-15                         | 9.8                    |     |     |
| 5753SL               | TB-4               | SS-7             | 18.5-20                         | 18.2                   |     |     |
| 5753SL               | TB-4               | SS-8             | 23.5-25                         | 11.4                   |     |     |
| 5753SL               | TB-4               | SS-9             | 28.5-30                         | 11.0                   |     |     |
| 5753SL               | TB-4               | SS-10            | 33.5-35                         | 10.0                   |     |     |
| 5753SL               | RW-1               | SS-1             | 1-2.5                           | 18.2                   |     |     |
| 5753SL               | RW-1               | SS-2             | 3.5-5                           | 16.1                   |     |     |
| 5753SL               | RW-1               | SS-3             | 6-7.5                           | 24.3                   |     |     |
| 5753SL               | RW-1               | SS-4             | 8.5-10                          | 26.4                   |     |     |
| 5753SL               | RW-1               | SS-5             | 11-12.5                         | 10.0                   |     |     |
| 5753SL               | RW-1               | SS-6             | 13.5-15                         | 11.9                   |     |     |
| 5753SL               | RW-2               | SS-2             | 3.5-5                           | 14.2                   |     |     |
| 5753SL               | RW-2               | SS-4             | 8.5-10                          | 27.3                   |     |     |

# SUMMARY OF SPECIAL LABORATORY TEST RESULTS

Project No.:

STP-0399()

**Structure No.:** 

-

Des. No.:

0300059

Project:

Monon Greenway over Carmel Drive

Location:

Carmel, Indiana

Client:

United Consulting Engineers & Architects


**EEI Project No.:** 


1-03-071

EARTH EXPLORATION &

Page 2 of 2

| Laboratory | Test       | Sample | Sample       | Moisture    |     |   |
|------------|------------|--------|--------------|-------------|-----|---|
| Number     | Boring No. | Number | Depth        | Content, %  | LOI | рН                                      |
|            |            |        | Interval, ft | Content, 70 |     |   |
| 5744SL     | RW-2       | SS-4   | 8.5-10       |             |     | 6.9                                     |
| 5753SL     | RW-2       | SS-5   | 11-12.5      | 10.4        |     |   |
| 5753SL     | RW-2       | SS-6   | 13.5-15      | 9.3         |     |   |
| 5753SL     | RW-2       | SS-8   | 23.5-25      | 11.9        |     |   |
| 5753SL     | RW-3       | SS-2   | 3.5-5        | 19.2        |     |   |
| 5753SL     | RW-3       | SS-3   | 6-7.5        | 20.4        |     |   |
| 5746SL     | RW-3       | SS-3   | 6-7.5        |             |     | 7.1                                     |
| 5753SL     | RW-3       | SS-4   | 8.5-10       | 29.0        |     |   |
| 5753SL     | RW-3       | SS-5   | 11-12.5      | 12.2        |     |   |
| 5753SL     | RW-3       | SS-6   | 13.5-15      | 9.3         |     |   |
| 5753SL     | RW-3       | SS-7   | 18.5-20      | 11.2        |     |   |
| 5753SL     | RW-3       | SS-8   | 23.5-25      | 11.4        |     |   |
| 5753SL     | RW-3       | SS-10  | 33.5-35      | 10.7        |     |   |
| 5753SL     | RW-4       | SS-2   | 3.5-5        | 21.0        | 5.4 |   |
| 5753SL     | RW-4       | SS-3   | 6-7.5        | 30.5        |     |   |
| 5747SL     | RW-4       | SS-3   | 6-7.5        |             |     | 7.3                                     |
| 5753SL     | RW-4       | SS-6   | 13.5-15      | 11.9        |     | 7.0                                     |
| 5753SL     | RW-4       | SS-7   | 18.5-20      | 10.1        |     |   |
| 5753SL     | RW-4       | SS-8   | 23.5-25      | 13.1        |     |   |
| 5753SL     | RW-4       | SS-9   | 28.5-30      | 10.1        |     |   |
| 5753SL     | RW-4       | SS-10  | 33.5-35      | 8.9         |     |   |
| 5753SL     | RW-5       | SS-1   | 1-2.5        | 6.6         |     | *************************************** |
| 5747SL     | RW-5       | SS-1   | 1-2.5        |             |     | 6.9                                     |
| 5753SL     | RW-5       | SS-3   | 6-7.5        | 30.1        |     | 0.0                                     |
| 5753SL     | RW-5       | SS-4   | 8.5-10       | 25.6        |     |   |
| 5753SL     | RW-5       | SS-5   | 11-12.5      | 11.2        |     |   |
| 5753SL     | RW-5       | SS-6   | 13.5-15      | 8.3         |     |   |
| 5753SL     | RW-5       | SS-7   | 18.5-20      | 10.7        |     |   |
| 5753SL     | RW-5       | SS-8   | 23.5-25      | 10.3        |     |   |
| 5753SL     | RW-6       | SS-1   | 1-2.5        | 32.6        |     |   |
| 5753SL     | RW-6       | SS-2   | 3.5-5        | 41.0        |     |   |
| 5753SL     | RW-6       | SS-3   | 6-7.5        | 27.4        |     |   |
| 5753SL     | RW-6       | SS-4   | 8.5-10       | 14.1        |     |   |
| 5753SL     | RW-6       | SS-5   | 11-12.5      | 13.1        |     |   |
| 5753SL     | RW-6       | SS-6   | 13.5-15      | 11.1        |     |   |





| L | 5                | Sample | dentification | Sta         | ation            | Offset / | Line  |       | Depth, f   | t.   | Elevation, USCGS |           |    |  |
|---|------------------|--------|---------------|-------------|------------------|----------|-------|-------|------------|------|------------------|-----------|----|--|
| 9 | RW-2 SS-4        |        | 2 SS-4        |             | 52+84 3' Rt. "B" |          |       |       | 8.5 - 10.0 | ft.  | 82               | 2.5 - 821 | .0 |  |
| L | Lab No.          |        | Classific     | ation       | рН               | %Gravel  | %Sand | %Silt | %Clay      | MC%  | LL               | PL        | PI |  |
| L | 5744SL SILTY CLA |        | SILTY CLAY LO | AM A-6 (11) | 6.9              | 0.4      | 16.4  | 58.7  | 24.5       | 27.3 | 31               | 16        | 15 |  |



Project No. STP-0399()

**Project** Monon Greenway over Carmel Drive

Structure No. ---


Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

and the same of the same

Client United Consulting Engineers & Architects

### **GRAIN SIZE DISTRIBUTION CURVE**



| L | Sample | e Identification | Station / Offset / Line |      |               |       |      |   | Depth, ft    | t.   | Eleva | tion, U   | scgs |
|---|--------|------------------|-------------------------|------|---------------|-------|------|---|--------------|------|-------|-----------|------|
| • | RW-    | 3 SS-3           |                         | 53+7 | 78 3' Rt. "B" |       |      |   | 6.0 - 7.5 ft |      | 82    | 5.0 - 823 | .5   |
| L | ab No. | Classific        | ation                   | рН   | %Gravel       | %Sand | %Sil | t | %Clay        | MC%  | LL    | PL        | PI   |
|   | 5745SL | LOAM A           | -6 (3)                  | 7.1  | 3.6           | 45.5  | 34.8 |   | 16.1         | 20.4 | 28    | 15        | 13   |



Project No. STP-0399()

Project Monon Greenway over Carmel Drive

...,


Structure No. ---

Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client United Consulting Engineers & Architects

# **GRAIN SIZE DISTRIBUTION CURVE**



| L | Sample            | e Identification | Sta        | tion /           | Offset / | Line  |      |             | Depth, f     | t.   | Elevat | tion, US  | scgs |
|---|-------------------|------------------|------------|------------------|----------|-------|------|-------------|--------------|------|--------|-----------|------|
| • | RW-               | 4 SS-3           |            | 57+90 3' Rt. "B" |          |       |      |             | 6.0 - 7.5 ft | i.   | 82     | 5.0 - 823 | .5   |
| L | Lab No. Classi    |                  | ation      | рН               | %Gravel  | %Sand | %Si  | lt          | %Clay        | MC%  | LL     | PL        | PI   |
|   | 5746SL SILTY CLAY |                  | A-7-6 (30) | 0) 7.3 0.1 5.3   |          |       | 59.2 | 2 35.3 30.5 |              | 30.5 | 48     | 18        | 30   |



Project No. STP-0399()

**Project** 

Monon Greenway over Carmel Drive

Structure No. ---


Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client

United Consulting Engineers & Architects

# **GRAIN SIZE DISTRIBUTION CURVE**



|   | S                          | Sample | e Identification  | Sta                | tion             | Offset / | Line  |      |    | Depth, f     | t.  | Elevat | tion, US  | SCGS |
|---|----------------------------|--------|-------------------|--------------------|------------------|----------|-------|------|----|--------------|-----|--------|-----------|------|
| ľ |                            | RW-    | 5 SS-1            |                    | 58+81 3' Rt. "B" |          |       |      |    | 1.0 - 2.5 ff | i.  | 83     | 0.0 - 828 | .5   |
| L | Lab No. Classific          |        | Classific         | ation              | рН               | %Gravel  | %Sand | %Si  | lt | %Clay        | MC% | LL     | PL        | PI   |
| L | 5747SL \$ANDY LOAM w/ some |        | SANDY LOAM w/ som | e gravel A-2-4 (0) | 6.9              | 24.9     | 53.4  | 14.4 | 4  | 7.3          | 6.6 | 20     | 15        | 5    |



Project No. STP-0399()

**Project** 

Monon Greenway over Carmel Drive

Structure No. ---


Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client

United Consulting Engineers & Architects

# **GRAIN SIZE DISTRIBUTION CURVE**



|   | Sample    | dentification | Sta      | tion /           | Offset / | Line  |      |    | Depth, f    | t.   | Elevation, USCGS |           |    |  |
|---|-----------|---------------|----------|------------------|----------|-------|------|----|-------------|------|------------------|-----------|----|--|
| • | TB-1 SS-8 |               |          | 54+84 3' Rt. "B" |          |       |      |    | 23.5 - 25.0 | ft.  | 80               | 7.5 - 806 | .0 |  |
| L | ab No.    | Classific     | ation pH |                  | %Gravel  | %Sand | %Si  | It | %Clay       | MC%  | LL               | PL        | PI |  |
| , | 5748SL    | LOAM A-4 (1)  |          | 6.7              | 6.0      | 33.0  | 44.7 | 7  | 16.3        | 11.9 | 19               | 12        | 7  |  |



Project No. STP-0399()

**Project** 

Monon Greenway over Carmel Drive

Structure No. ---


Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client

United Consulting Engineers & Architects

### **GRAIN SIZE DISTRIBUTION CURVE**



| Samp          | le Identifica | tion      | Station | / Offset / Line |              | Depth,    | ft            | Classification |                |  |  |
|---------------|---------------|-----------|---------|-----------------|--------------|-----------|---------------|----------------|----------------|--|--|
| RW-2          | 2             | SS-3      | 52+8    | 34 3' Rt. "B"   |              | 6.0 - 7.9 | 5             | SILTY          | CLAY LOAM      |  |  |
| Sample Sample |               |           | -       |                 |              |           |               |                |                |  |  |
|               | Sample        | Sample    | Initial | Initial         | Initial      |           | Unc. Comp.    | Failure        | Rate of Strain |  |  |
| Lab No.       | Ht., mm       | Diam., mm | M.C., % | Wet Den, pcf    | Dry Den, pcf | Sat., %   | Strength, tsf | Strain, %      | to Failure, %  |  |  |
| 5749SL        | 70.6          | 34.5      | 24.1    | 126.2           | 101.7        | 98.1      | 1.55          | 15.0           | 1.5            |  |  |
|               |               |           |         |                 |              |           |               |                |                |  |  |



Project No. STP-0399()

**Project** 

Monon Greenway over Carmel Drive

Structure No. ---


Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client

United Consulting Engineers & Architects

### **UNCONFINED COMPRESSION TEST**



| I | Sample Identification Station / Offset / Line |   |      |                    |                             |                         | Depth, 1 | ft                          | Classification       |                                 |  |
|---|---|---|------|--------------------|-----------------------------|-------------------------|----------|-----------------------------|----------------------|---------------------------------|--|
|   | ● RW-   | 4                                       | SS-4 | 57+9               | 57+90 3' Rt. "B" 8.5 - 10.0 |                         |          |                             | SILTY C              | CLAY LOAM                       |  |
|   | Lab No.                                       | , |      | Initial<br>M.C., % | Initial<br>Wet Den, pcf     | Initial<br>Dry Den, pcf | Sat., %  | Unc. Comp.<br>Strength, tsf | Failure<br>Strain, % | Rate of Strain<br>to Failure, % |  |
|   | 5750SL  | 70.4                                    | 35.1 | 26.4               | 124.7                       | 98.7                    | 99.5     | 0.81                        | 15.0                 | 1.5                             |  |



Project No. STP-0399()

**Project** Monon Greenway over Carmel Drive


Structure No. ---

Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client United Consulting Engineers & Architects

## **UNCONFINED COMPRESSION TEST**



| L | Sample Identification |                   |                     | Station / Offset / Line |                         |                         | Depth, ft   |                             |                      | Classification                  |  |
|---|-----------------------|-------------------|---------------------|-------------------------|-------------------------|-------------------------|-------------|-----------------------------|----------------------|---------------------------------|--|
| • | ● TB-3 SS-6           |                   | SS-6                | 56+30 3' Rt. "B"        |                         |                         | 13.5 - 15.0 |                             |                      | LOAM                            |  |
|   | Lab No.               | Sample<br>Ht., mm | Sample<br>Diam., mm | Initial<br>M.C., %      | Initial<br>Wet Den, pcf | Initial<br>Dry Den, pcf | Sat., %     | Unc. Comp.<br>Strength, tsf | Failure<br>Strain, % | Rate of Strain<br>to Failure, % |  |
|   | 5751SL                | 73.5              | 37.4                | 14.5                    | 139.3                   | 121.7                   | 94.4        | 4.44                        | 15.0                 | 1.5                             |  |



Project No. STP-0399()

**Project** Monon Greenway over Carmel Drive


Structure No. ---

Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client United Consulting Engineers & Architects

## **UNCONFINED COMPRESSION TEST**



| Sample Identification |                   |                     | Station / Offset / Line |                         |  | Depth, ft           |         |                             | Classification       |                                 |
|-----------------------|-------------------|---------------------|-------------------------|-------------------------|--|---------------------|---------|-----------------------------|----------------------|---------------------------------|
| • TB-4 SS-3           |                   | SS-3                | 56+90 3' Rt. "B"        |                         |  | 6.0 - 7.5           |         |                             | SILTY CLAY           |                                 |
| Lab No.               | Sample<br>Ht., mm | Sample<br>Diam., mm | Initial<br>M.C., %      | Initial<br>Wet Den, pcf |  | Initial<br>Den, pcf | Sat., % | Unc. Comp.<br>Strength, tsf | Failure<br>Strain, % | Rate of Strain<br>to Failure, % |
| 5752SL                | 70.7              | 35.2                | 34.5                    | 116.8                   |  | 86.9                | 98.2    | 1.02                        | 13.6                 | 1.5                             |



Project No. STP-0399()

**Project** 

Monon Greenway over Carmel Drive

Structure No. ---

Location Carmel, Indiana

**EEI Proj. No.** 1-03-071

Client

United Consulting Engineers & Architects

### **UNCONFINED COMPRESSION TEST**


### **APPENDIX F**


Subsurface Profile at Bridge Structure - (Drawing No. 1-03-071.B3)

Static Analyses for Pile Load Capacity

**Bearing Capacity Analysis** 

Settlement Analysis for Proposed Embankment





### — ULTIMATE STATIC PILE CAPACITY/Federal Highway Administration — Nordlund (1963, 1979) and Tomlinson (1979, 1980) methods

Project Name : Monon Trl oCarmel Dr Client : United Consult Engrs

Location : Bent No. 1 (TB-1) Project Manager : Darren Pleiman

Date : 11/12/10 Computed by : DRP

Depth of Top of Pile = 4.00 ft. Pile length = 41.00 Depth to Water Table = 10.00 ft. Pile Tip Elevation = 786.0 = 41.00 ft.

Diameter of pile = 14.00 in. Type of Pile = Pipe Pile

#### SKIN FRICTION CONTRIBUTION

| Layer            | Soil<br>Type   | Thickness<br>(ft)              | Effective<br>Stress<br>(psf)            | Internal<br>Friction<br>Angle | N-SPT    | Pile<br>Perimeter<br>(ft)    |
|------------------|--|--------------------------------|---|-------------------------------|----------|------------------------------|
| 1<br>2<br>3<br>4 | Cohesive<br>Cohesionless<br>Cohesive<br>Cohesionless | 5.00<br>10.00<br>20.00<br>6.00 | 780.00<br>1405.40<br>2294.40<br>3093.20 | 32.00<br><br>34.00            | <br><br> | 3.67<br>3.67<br>3.67<br>3.67 |

| Layer | Soil         | Undrained Shear | Adhesion | Pile  | Sliding  | Skin       |
|-------|--------------|-----------------|----------|-------|----------|------------|
|       | Type         | Strength        |          | Taper | Friction | Resistance |
|       |              | (psf)           |          |       | Angle    | (Kips)     |
|       |              |                 |          |       |          |            |
| 1     | Cohesive     | 1000.00         | 700.00   |       |          | 12.83      |
| 2     | Cohesionless |                 |          |       | 21.33    | 22.06      |
| 3     | Cohesive     | 2000.00         | 1000.00  |       |          | 73.30      |
| 4     | Cohesionless |                 |          |       | 22.66    | 35.36      |

Total Side Friction : 143.55

### POINT RESISTANCE CONTRIBUTION

| Effective<br>Stress at<br>pile Tip | Internal<br>Friction<br>Angle | SPT<br>Value | Pile End<br>Area | Bearing<br>Capacity<br>Factor | End Bearing<br>Resistance |
|------------------------------------|-------------------------------|--------------|------------------|-------------------------------|---------------------------|
| (psf)                              | 920                           |              | (ft*ft)          | Nq                            | (Kips)                    |
| 3266.00                            | 34.00                         |              | 1.07             | 55.60                         | 122.67                    |

Limiting End Bearing Resistance: 78.59

Ultimate Static Pile Capacity : 222.15

— Hit arrow keys to display next screen. <F8> Print. <F10> Main Menu —

### - ULTIMATE STATIC PILE CAPACITY/Federal Highway Administration ---Nordlund (1963, 1979) and Tomlinson (1979, 1980) methods

Project Name : Monon Trl oCarmel Dr Client : United Consult Engrs

Location : Bent No. 2 (TB-2) Project Manager : Darren Pleiman

: 11/12/10 Date Computed by : DRP

Depth of Top of Pile = 4.00 ft. Pile length = 43.00 ft. Pile Tip Elevation = 784.0

Depth to Water Table = 10.00 ft.

Diameter of pile = 14.00 in. Type of Pile = Pipe Pile Type of Pile

### SKIN FRICTION CONTRIBUTION

| Layer Soil<br>Type   | Thickness                      | Effective<br>Stress<br>(psf)            | Internal<br>Friction<br>Angle | N-SPT | Pile<br>Perimeter<br>(ft)    |
|--|--------------------------------|---|-------------------------------|-------|------------------------------|
| 1 Cohesive<br>2 Cohesionless<br>3 Cohesive<br>4 Cohesionless | 5.00<br>10.00<br>9.00<br>19.00 | 780.00<br>1405.40<br>1950.10<br>2731.50 | 32.00<br><br>31.00            |       | 3.67<br>3.67<br>3.67<br>3.67 |

| Layer | Soil<br>Type | Undrained Shear<br>Strength<br>(psf) | Adhesion | Pile<br>Taper | Sliding<br>Friction<br>Angle | Skin<br>Resistance<br>(Kips) |
|-------|--------------|--------------------------------------|----------|---------------|------------------------------|------------------------------|
| 1     | Cohesive     | 1000.00                              | 700.00   |               |                              | 12.83                        |
| 2     | Cohesionless | dies tells                           |          |               | 21.33                        | 22.06                        |
| 3     | Cohesive     | 1750.00                              | 800.00   |               |                              | 26.39                        |
| 4     | Cohesionless |                                      |          |               | 20.66                        | 73.04                        |

Total Side Friction : 134.32

#### POINT RESISTANCE CONTRIBUTION

| Effective<br>Stress at<br>pile Tip | Internal<br>Friction<br>Angle | SPT<br>Value | Pile End<br>Area | Bearing<br>Capacity<br>Factor | End Bearing<br>Resistance |
|------------------------------------|-------------------------------|--------------|------------------|-------------------------------|---------------------------|
| (psf)                              | ,                             |              | (ft*ft)          | Nd                            | (Kips)                    |
| 3231.20                            | 34.00                         |              | 1.07             | 55.60                         | 121.24                    |

Limiting End Bearing Resistance :

Ultimate Static Pile Capacity :

- Hit arrow keys to display next screen. <F8> Print. <F10> Main Menu -

### ULTIMATE STATIC PILE CAPACITY/Federal Highway Administration — Nordlund (1963, 1979) and Tomlinson (1979, 1980) methods

Project Name : Monon Trl oCarmel Dr Client : United Consult Engrs

Location : Bent No. 3 (TB-3) Project Manager : Darren Pleiman

Date : 11/12/10 Computed by : DRP

Depth of Top of Pile = 4.00 ft. Pile length = 46.00 ft. Depth to Water Table = 11.00 ft. Pile Tip Elevation = 784.0

Diameter of pile = 14.00 in.

Type of Pile = Pipe Pile

#### SKIN FRICTION CONTRIBUTION

| Layer | Soil<br>Type | Thickness | Effective<br>Stress<br>(psf) | Internal<br>Friction<br>Angle | N-SPT | Pile<br>Perimeter<br>(ft) |
|-------|--------------|-----------|------------------------------|-------------------------------|-------|---------------------------|
| 1     | Cohesive     | 5.00      | 780.00                       |                               |       | 3.67                      |
| 2     | Cohesionless | 2.00      | 1195.00                      | 30.00                         |       | 3.67                      |
| 3     | Cohesive     | 28.00     | 2186.40                      |                               |       | 3.67                      |
| 4     | Cohesionless | 11.00     | 3379.60                      | 34.00                         |       | 3.67                      |
|       |              |           |                              |                               |       |                           |

| Layer | Soil<br>Type | Undrained Shear<br>Strength<br>(psf) | Adhesion | Pile<br>Taper | Sliding<br>Friction<br>Angle | Skin<br>Resistance<br>(Kips) |
|-------|--------------|--------------------------------------|----------|---------------|------------------------------|------------------------------|
| 1     | Cohesive     | 1000.00                              | 700.00   |               |                              | 12.83                        |
| 2     | Cohesionless |                                      |          |               | 19.99                        | 2.98                         |
| 3     | Cohesive     | 2250.00                              | 1100.00  |               |                              | 112.89                       |
| 4     | Cohesionless |                                      |          |               | 22.66                        | 70.83                        |

Total Side Friction : 199.53

### POINT RESISTANCE CONTRIBUTION

| Effective<br>Stress at<br>pile Tip | Internal<br>Friction<br>Angle | SPT<br>Value | Pile End<br>Area | Bearing<br>Capacity<br>Factor | End Bearing<br>Resistance |
|------------------------------------|-------------------------------|--------------|------------------|-------------------------------|---------------------------|
| (psf)                              | Aligie                        |              | (ft*ft)          | Nq                            | (Kips)                    |
| 3696.40                            | 34.00                         |              | 1.07             | 55.60                         | 138.46                    |

Limiting End Bearing Resistance: 78.59

Ultimate Static Pile Capacity : 278.12

--- Hit arrow keys to display next screen. <F8> Print. <F10> Main Menu --

### — ULTIMATE STATIC PILE CAPACITY/Federal Highway Administration — Nordlund (1963, 1979) and Tomlinson (1979, 1980) methods

Project Name : Monon Trl oCarmel Dr Client : United Consult Engrs

Location : Bent No. 3 (TB-3) Project Manager : Darren Pleiman

Date : 11/12/10 Computed by : DRP

Depth of Top of Pile = 4.00 ft. Pile length = 36.00 ft. Depth to Water Table = 11.00 ft. Pile Tip Elevation = 791.0

Diameter of pile = 14.00 in. Type of Pile = Pipe Pile

#### SKIN FRICTION CONTRIBUTION

| Layer            | Soil<br>Type                         | Thickness (ft)                       | Effective<br>Stress<br>(psf)            | Internal<br>Friction<br>Angle | N-SPT                        | Pile<br>Perimeter<br>(ft)    |
|------------------|--------------------------------------|--------------------------------------|---|-------------------------------|------------------------------|------------------------------|
| 1<br>2<br>3<br>4 | Cohesive<br>Cohesive<br>Cohesionless | 5.00<br>2.00<br>28.00<br>1.00        | 780.00<br>1195.00<br>2186.40<br>3091.60 | 30.00                         | <br><br>                     | 3.67<br>3.67<br>3.67<br>3.67 |
| Layer            | Soil<br>Type                         | Undrained Shea:<br>Strength<br>(psf) | r Adhesion                              | Pile<br>Taper                 | Sliding<br>Friction<br>Angle | Skin<br>Resistance<br>(Kips) |
| 1                | Cohesive                             | 1000.00                              | 700.00                                  |                               |                              | 12.83                        |

|     | Туре                     | Strength<br>(psf) |         | Taper | Friction<br>Angle | Resistance<br>(Kips) |
|-----|--------------------------|-------------------|---------|-------|-------------------|----------------------|
| 1 2 | Cohesive<br>Cohesionless | 1000.00           | 700.00  |       | 19.99             | 12.83                |
| 3   | Cohesive                 | 2250.00           | 1100.00 |       |                   | 112.89               |
| 4   | Cohesionless             |                   |         |       | 22.66             | 5.89                 |

Total Side Friction : 134.59

### POINT RESISTANCE CONTRIBUTION

| Effective<br>Stress at<br>pile Tip | Internal<br>Friction<br>Angle | SPT<br>Value | Pile End<br>Area | Bearing<br>Capacity<br>Factor | End Bearing<br>Resistance |
|------------------------------------|-------------------------------|--------------|------------------|-------------------------------|---------------------------|
| (psf)                              |                               |              | (ft*ft)          | Иd                            | (Kips)                    |
| 3120.40                            | 34.00                         |              | 1.07             | 55.60                         | 117.52                    |

Limiting End Bearing Resistance : 78.59

Ultimate Static Pile Capacity : 213.18

— Hit arrow keys to display next screen. <F8> Print. <F10> Main Menu —

### ULTIMATE STATIC PILE CAPACITY/Federal Highway Administration -Nordlund (1963, 1979) and Tomlinson (1979, 1980) methods

Project Name : Monon Trl oCarmel Dr Client : United Consult Engrs

Location : Bent No. 4 (TB-4) Project Manager : Darren Pleiman

Date : 11/12/10 Computed by : DRP

Depth of Top of Pile = 4.00 ft. Pile length = 41.00 ft.
Depth to Water Table = 10.00 ft. Pile Tip Elevation = 786.0

Diameter of pile = 14.00 in. Type of Pile = Pipe Pile

#### SKIN FRICTION CONTRIBUTION

| Layer                 | Soil<br>Type   | Thickness                             | Effective<br>Stress<br>(psf)                       | Internal<br>Friction<br>Angle | N-SPT        | Pile<br>Perimeter<br>(ft)            |
|-----------------------|--|---------------------------------------|--|-------------------------------|--------------|--------------------------------------|
| 1<br>2<br>3<br>4<br>5 | Cohesive<br>Cohesionless<br>Cohesionless<br>Cohesive | 2.50<br>7.50<br>5.00<br>4.00<br>15.50 | 525.00<br>1065.65<br>1419.40<br>1681.10<br>2271.45 | 31.00<br><br>31.00            | <br><br><br> | 3.67<br>3.67<br>3.67<br>3.67<br>3.67 |
| 6                     | Cohesionless   | 6.50                                  | 2943.80  | 33.00                         |              | 3.67                                 |

| Layer | Soil<br>Type | Undrained Shear<br>Strength<br>(psf) | Adhesion | Pile<br>Taper | Sliding<br>Friction<br>Angle | Skin<br>Resistance<br>(Kips) |
|-------|--------------|--------------------------------------|----------|---------------|------------------------------|------------------------------|
| 1     | Cohesive     | 1000.00                              | 700.00   |               |                              | 6.41                         |
| 2     | Cohesionless |                                      |          |               | 20.66                        | 11.25                        |
| 3     | Cohesive     | 2500.00                              | 1300.00  |               |                              | 23.82                        |
| 4     | Cohesionless |                                      |          |               | 20.66                        | 9.46                         |
| 5     | Cohesive     | 2000.00                              | 1100.00  |               |                              | 62.49                        |
| 6     | Cohesionless |                                      |          |               | 21.99                        | 33.22                        |

Total Side Friction : 146.66

### POINT RESISTANCE CONTRIBUTION

| Effective<br>Stress at<br>pile Tip | Internal<br>Friction<br>Angle | SPT<br>Value | Pile End<br>Area | Bearing<br>Capacity<br>Factor | End Bearing<br>Resistance |
|------------------------------------|-------------------------------|--------------|------------------|-------------------------------|---------------------------|
| (psf)                              | -                             |              | (ft*ft)          | Nd                            | (Kips)                    |
| 3131.00                            | 33.00                         |              | 1.07             | 47.20                         | 94.37                     |

Limiting End Bearing Resistance: 53.45

Ultimate Static Pile Capacity : 200.11

- Hit arrow keys to display next screen. <F8> Print. <F10> Main Menu —

**Project: Monon Greenway over Carmel Drive** 

EEI Proj. No.: 1-03-071

Date: 2/5/04

By: DRP

Rev. By:



Bearing Capacity Analysis! Boring TB-1 (Sta, 54+84) Height & Fill = 17' Width of Foundation = 14' Dapth of Embedment = 10' (Elev. 821) At 10' Sandy Loan, med dense 8=115 pol NAM = 16 Ø = 32° Ng = 29,5 Ny = 27,9 9ux = 8DNg + 0,58BNg = 115(10)(29,5)+0,5(115)14(27,9) 9allow = 56,400 /3 = 18.8 Ksl. Assuming a high water table 8= 55 pcf 9ult = 55(10)(29.5) + 0,5(55)14(27.9) 9allow = 27 Ks /3 = 9 Ks

Applied load = 17.125 = 2125 psf or 2.1 Ksf

|  | EARTH                   |              |         |          |               |  |
|--|-------------------------|--------------|---------|----------|---------------|--|
|  | EEI Proi. No.: 1-03-071 | Date: 2/5/04 | Bv: DRP | Rev. Bv: | EXPLORATION & |  |

Settlement of fill placed within the retaining walls: Boring RW-5 (Sta. 58+81) Applied load: 125 per (10'High) = p = 1250 psf.

Soil Properties:

| Soil Type             | Thickness        | We       | ( St)       | lo  | $C_{c}$ | RR   | Z            | 2/Z | 1   |
|-----------------------|------------------|----------|-------------|-----|---------|--|--------------|-----|-----|
| Salo                  |                  |          | 115         | .8* | ,023    | ,007   | 2.5          | 0   | 2.8 |
| Si Cl                 | 24               |          |             |     |         | ,05  |              |     |     |
|                       | 12               | 25,6     | 115         | ,69 | .126    | ,044   | 7,5          | 0   | .93 |
| SaLo<br>* Estimated d | 22/              | خيصوني   | 115         | .8* | .023    | ,007   | 9            | Ŏ   | .77 |
| * Estimated &         | from text books. |          |             |     |         |  | 1=0          |     |     |
| Cc = 0,750            | (e0-0.5) L       | ow plast | icity soil: | 5 - |         | THE PERSON NAMED IN COLUMN NAM | a=0<br>b= 14 | 2=7 |     |

Ce = 0,3(20-0,27) e0 = 2.7(We) CR = 1/1+e0 RR = 1/1+e0
P = 1250ps ( Ap = I.P. Z (See fig 6, attached)

| Soil Type | e Pogs<br>288 | The state of the s | DP<br>(PS)<br>1225 | RR   | th (in) | 3D Factor | H'<br>(in) |
|-----------|---------------|--|--------------------|------|---------|-----------|------------|
| SaLo      | 288           | ,49  | 1225               | ,007 | 60      | .9        | .27        |
| Sici      | 690           | .41  | 1100               | ,05  | 24      | . 9       | .45        |
| 10        | 863           | .40  | 1000               | ,044 | 12      | .9        | .16        |
| SaLo      | 1035          | .36  | 900                | .007 | 24      | , 9       | .04        |
|           |               |  |                    |      |         |           | 0.92       |

Total Estimated Settlement 1 to 1/2 inches.




FIGURE 6
Influence Value for Vertical Stress Under Embankment Load of Infinite Length
(Boussinesq Case)